



SPM® Flow Control Product Book

Version 1.1

November 2013

Copyright © 2013 S.P.M. Flow Control, Inc. Reproduction of any part of this work other than for its intended purpose is expressly restricted. All rights reserved.

Reference Guide

Flow Control Products

Treating iron is produced for the following services:

- ☒ Standard service
- ☒ H2S / sour gas service
- ☒ Low temperature service

Operating Temperature Ranges


- ☒ Standard Temp: 0°C - 110°C
- ☒ Low Temp: -30°C - 110°C

Maximum Recommended Flow Rate: 42 feet/second

General Notes:

- ☒ Weir SPM recommends that you designate specific strings of iron for the following applications, and that the designated iron remain in that service application throughout the product's life.
- ☒ Every string of iron should be pressurized to its maximum planned working pressure prior to each use.
- ☒ Pressure seal line pipe threads are not recommended for pulsating service above 10,000 psi or where side loading or erosion is suspected. (integral or non-pressure seal threads are recommended.)
- ☒ Personnel must not be around pressure vessel products while pressure is present or being applied.
- ☒ Each string, as well as each component, must have regular intervals of maintenance and inspection for safe, proper performance.
- ☒ Never tighten or hammer wing unions when flow line is under pressure.
- ☒ Welding, brazing or heating on high pressure components is prohibited.
- ☒ General maintenance will extend the life of flow control products.
 - ☒ Grease plug valves and swivel joints after every job.
 - ☒ Replace seals to help prevent leaks and washouts of seal faces.
 - ☒ Clean all seal areas thoroughly.
 - ☒ Flush all products with water after each job.

Swivel Joints



2" 1502 Swivel Joints (Standard Service)

| Style | Connection Type | End Type | Temperature | Service Type | Part Number |
|-------|-----------------|---------------------|-------------|------------------|-------------|
| 10 | Hammer Union | MxF | Low Temp | Standard | 2A17135 |
| 10 | Hammer Union | MxF | Low Temp | Standard (Viton) | 2A17135V |
| 10 | Hammer Union | MxM | Low Temp | Standard | 2A17205 |
| 10 | Safety Iron | | Low Temp | Standard | 2A17893 |
| 20 | Hammer Union | MxF | Low Temp | Standard | 2A17271 |
| 30 | Hammer Union | MxF | Low Temp | Standard | 2A17297 |
| 30 | Hammer Union | MxF | Low Temp | Standard (Viton) | 2A17297V |
| 50 | Hammer Union | MxF | Low Temp | Standard | 2A17139 |
| 50 | Hammer Union | MxF | Low Temp | Standard (Viton) | 2A17139V |
| 50 | Hammer Union | FxF | Low Temp | Standard | 2A17213 |
| 50 | Hammer Union | 3" 1502M x 2" 1502F | Low Temp | Standard | 2A17327 |
| 60 | Hammer Union | MxM | Low Temp | Standard | 2A17293 |
| 60 | Hammer Union | MxF | Low Temp | Standard | 2A17494 |
| 80 | Hammer Union | MxF | Low Temp | Standard | 2A17289 |
| 100 | Hammer Union | MxM | Low Temp | Standard | 2A17274 |
| 100 | Hammer Union | MxF | Low Temp | Standard | 2A17272 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Swivel Joints (H2S Service)

*NSCWP 10,000 psi

| <u>Style</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------|------------------------|-----------------|--------------------|---------------------|--------------------|
| 10 | Hammer Union | MxF | Low Temp | H2S | 2A17171 |
| 10 | Hammer Union | MxM | Low Temp | H2S | 2A17277 |
| 20 | Hammer Union | MxF | Low Temp | H2S | 2A17282 |
| 30 | Hammer Union | MxF | Low Temp | H2S | 2A17298 |
| 50 | Hammer Union | MxF | Low Temp | H2S | 2A17170 |
| 50 | Hammer Union | FxF | Low Temp | H2S | 2A17279 |
| 100 | Hammer Union | MxF | Low Temp | H2S | 2A17285 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Swivel Joints (Standard Service)

| <u>Style</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------|------------------------|----------------------|--------------------|---------------------|--------------------|
| 10 | Hammer Union | MxF | Low Temp | Standard | 2A17920 |
| 10 | Hammer Union | MxM | Low Temp | Standard | 2A28766 |
| 10 | Safety Iron | SI x SI | Low Temp | Standard | 2A17945 |
| 20 | Hammer Union | MxF | Low Temp | Standard | 2A17671 |
| 20 | Safety Iron | SI x SI | Low Temp | Standard | 2A29299 |
| 30 | Hammer Union | MxF | Low Temp | Standard | 2A17947 |
| 50 | Hammer Union | MxF | Low Temp | Standard | 2A17922 |
| 50 | Hammer Union | FxF | Low Temp | Standard | 2A17280 |
| 50 | Mix | 3" 1502F x 3" 15K SI | Low Temp | Standard | 2A17943 |
| 50 | Mix | 3" 1502F x 4" 15K SI | Low Temp | Standard | 2A17949 |
| 60 | Hammer Union | MxM | Low Temp | Standard | 2A17953 |
| 60 | Hammer Union | MxF | Low Temp | Standard | 2A17970 |
| 60 | Safety Iron | SI x SI | Low Temp | Standard | 2A17939 |
| 80 | Hammer Union | MxF | Low Temp | Standard | 2A17934 |
| 100 | Hammer Union | MxM | Low Temp | Standard | 2A17937 |
| 100 | Hammer Union | MxF | Low Temp | Standard | 2A17955 |
| 100 | Safety Iron | SI x SI | Low Temp | Standard | 2A17979 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Swivel Joints (H2S Service)

*NSCWP 10,000 psi

| <u>Style</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------|------------------------|-----------------|--------------------|---------------------|--------------------|
| 10 | Hammer Union | MxF | Low Temp | H2S | 2A17276 |
| 10 | Hammer Union | MxM | Low Temp | H2S | 2A17278 |
| 50 | Hammer Union | MxF | Low Temp | H2S | 2A17281 |
| 100 | Hammer Union | MxF | Low Temp | H2S | 2A17286 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 Swivel Joints (Standard Service)

| <u>Style</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------|------------------------|-----------------|--------------------|---------------------|--------------------|
| 10 | Hammer Union | MxF | Low Temp | Standard | 2A17925 |
| 10 | Hammer Union | MxM | Low Temp | Standard | 2A17929 |
| 10 | Safety Iron | SI x SI | Low Temp | Standard | 2A29809 |
| 50 | Hammer Union | MxF | Low Temp | Standard | 2A17926 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1502 Swivel Joints (Standard Service)

| <u>Style</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------|------------------------|-----------------|--------------------|---------------------|--------------------|
| 10 | Hammer Union | MxF | Low Temp | Standard | 2A17765 |
| 10 | Hammer Union | MxM | Low Temp | Standard | 2A17737 |
| 10 | Safety Iron | SI x SI | Low Temp | Standard | 2A17894 |
| 50 | Hammer Union | MxF | Low Temp | Standard | 2A17567 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Swivel Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L17126 |
| Parts Kit | Standard (Viton) | 4L17126V |
| Parts Kit | H2S | 4L17193 |
| Ball Kit | Standard | 4L17131 |
| Ball Kit | H2S | 4L17196 |
| Ball Plug Kit | Standard | 4L17136 |
| Ball Plug Kit | H2S | 4L17195 |
| Seal Kit | Standard | 4L17130 |
| Seal Kit | H2S | 4L17194 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Swivel Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L17660 |
| Parts Kit | Standard (Viton) | 2A33664 |
| Parts Kit | H2S | 4L17305 |
| Ball Kit | Standard | 4L17303 |
| Ball Kit | H2S | 4L17308 |
| Ball Plug Kit | Standard | 4L17136 |
| Seal Kit | Standard | 4L17265 |
| Seal Kit | H2S | 4L17307 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 602 Swivel Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L17267 |
| Seal Kit | Standard | 4L17268 |
| Ball Plug Kit | Standard | 4L17269 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 Swivel Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L17721 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1502 Swivel Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L17785 |

*Note: Other parts or configurations may be available. Contact SPM.

Kit Definitions:

Parts Kit: elastomers, swivel balls, ball plugs, plug retainer rings, grease port screw

Ball Kit: swivel balls

Ball Plug Kit: ball plugs, plug retainer rings

Copyright © 2013 S.P.M. Flow Control, Inc. All rights reserved.

Seal Kit: elastomers

Hose Loops

2" 1502 Hose Loops (Standard Service)

| <u>Length</u> | <u>Style</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------|--------------|------------------------|--------------------|---------------------|--------------------|
| 8' 7" | C&C | Hammer Union | Low Temp | Standard | 2A17581 |
| 9'6" | C&C | Hammer Union | Low Temp | Standard | 2A17229 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Hose Loops (H2S Service)

*NSCWP 10,000 psi

| <u>Length</u> | <u>Style</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------|--------------|------------------------|--------------------|---------------------|--------------------|
| 9'6" | C&C | Hammer Union | Low Temp | H2S | 2A17230 |

*Note: Other parts or configurations may be available. Contact SPM.

Check Valves

2" 1502 SD Clapper Check Valves (Standard Service)

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 2A29018 |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 2A29024 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 SD Clapper Check Valves (H2S Service)

*NSCWP 10,000 psi

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | H2S | 2A29022 |
| MxF (Reverse Flow) | Hammer Union | Low Temp | H2S | 2A29026 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 SD Clapper Check Valves (Standard Service)

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 2A28563 |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 2A28931 |
| Safety Iron | Safety Iron | Low Temp | Standard | 2A28756 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 SD Clapper Check Valves (Standard Service)

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 2A28744 |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 2A28949 |
| Safety Iron | Safety Iron | Low Temp | Standard | 2A28955 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1502 SD Clapper Check Valves (Standard Service)

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 2A28742 |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 2A28945 |
| Safety Iron | Safety Iron | Low Temp | Standard | 2A28959 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 SD Clapper Check Valve Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 2A29092 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 SD Clapper Check Valve Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 2A29477 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 & 4" 1502 SD Clapper Check Valve Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 2A29478 |

*Note: Other parts or configurations may be available. Contact SPM.

Top Load Check Valve (Non-SD Valve) Kits

| <u>Kit Type</u> | <u>Size</u> | <u>Part Number</u> |
|-------------------|-------------------|--------------------|
| Parts Kit | 2" 1502 | 2A26301 |
| Parts Kit (Viton) | 2" 1502 | 2A26461 |
| Parts Kit | 3" 1502 | 2A29480 |
| Parts Kit (Viton) | 3" 1502 | 2A29481 |
| Parts Kit | 4" 1002 & 4" 1502 | 2A29482 |

*Note: Other parts or configurations may be available. Contact SPM.

Cast-Style Clapper Check Valve Kits

| <u>Kit Type</u> | <u>Size</u> | <u>Part Number</u> |
|-------------------|---------------|--------------------|
| Parts Kit | 2" 1502 | 4L16449 |
| Parts Kit | 3" 1502 | 4L20821 |
| Parts Kit (Viton) | 3" 1502 | 4L16451V |
| Parts Kit | 4" 1002 / 602 | 4L21128 |
| Parts Kit (Viton) | 4" 1002 / 602 | 4L16454 |

*Note: Other parts or configurations may be available. Contact SPM.

Kit Definitions:

Parts Kit: clapper, pins, hanger, seal, backup ring

2" 1502 Dart Check Valves (C-Type - Standard Service)

| <u>Flow Configuration</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------------------|------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 1A19662C |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 1A19660C |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Dart Check Valves (C-Type - Standard Service - Metal to Metal Seal)

| <u>Flow Configuration</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------------------|------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 1A23085CLT |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 1A24137C |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Dart Check Valves (C-Type - H2S Service)

*NSCWP 10,000 psi

| <u>Flow Configuration</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------------------|------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | H2S | 1A19467C |
| MxF (Reverse Flow) | Hammer Union | Low Temp | H2S | 1A19485C |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Dart Check Valves (C-Type - Standard Service)

| <u>Flow Configuration</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------------------|------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | Standard | 1A19843C |
| MxF (Reverse Flow) | Hammer Union | Low Temp | Standard | 1A19845C |
| Safety Iron | Safety Iron | Low Temp | Standard | 2A27904 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Dart Check Valves (C-Type - H2S Service)

*NSCWP 10,000 psi

| <u>Flow Configuration</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------------------|------------------------|--------------------|---------------------|--------------------|
| FxM (Standard Flow) | Hammer Union | Low Temp | H2S | 1A19826C |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Dart Check Valve Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L20823C |
| Parts Kit | Standard (Viton) | 4L20823CV |
| Parts Kit | H2S | 4L20824C |
| Dart Kit | Standard | 4L19959 |
| Dart Kit | H2S | 4L18824 |
| Seal Kit | Standard | 4L20828C |
| Seal Kit | H2S | 4L20829C |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Dart Check Valve Kits

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 4L20825C |
| Parts Kit | H2S | 4L20826C |
| Dart Kit | Standard | 4L18821 |
| Dart Kit | H2S | 4L18818 |
| Seal Kit | Standard | 4L20830C |
| Seal Kit | H2S | 4L20831C |

*Note: Other parts or configurations may be available. Contact SPM.

Kit Definitions:

Parts Kit: dart, seals, nut, spring, stop, screw, key

Dart Kit: dart, seals, spring, nut

Seal Kit: seals

Plug Valves

1" x 2" Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|------------------------------|--------------------|
| Hammer Union | Manual | Low Temp | Standard | 1A14483 |
| Hammer Union | Manual | Low Temp | Standard (Acid) | 1A25038 |
| Hammer Union | Manual | Low Temp | Standard (Viton) | 1A14483V |
| Hammer Union | Manual | Low Temp | Standard (Torture) | 1A19748 |
| Hammer Union | Hydraulic | Low Temp | Standard | 1A14483HB |
| Hammer Union | Air | Low Temp | Standard | 1A14483A |
| Hammer Union | Air | Low Temp | Standard (Viton) | 1A14483AV |
| Hammer Union | No Actuator | Low Temp | Standard | 1A20391 |
| Hammer Union | No Actuator | Low Temp | Standard (Side Grease Ports) | 1A25037 |
| Safety Iron | Manual | Low Temp | Standard | 2A27975 |

*Note: Other parts or configurations may be available. Contact SPM.

1" x 2" Plug Valves - H2S Service

*NSCWP 10,000 psi

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|-------------------------|--------------------|
| Hammer Union | Manual | Low Temp | H2S | 1A19777 |
| Hammer Union | Hydraulic | Low Temp | H2S | 1A19777HB |
| Hammer Union | No Actuator | Low Temp | H2S (Side Grease Ports) | 1A25043 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| Hammer Union | Manual | Low Temp | Standard | 1A14487 |
| Hammer Union | Manual | Low Temp | Standard (Acid) | 1A20211 |
| Hammer Union | Manual | Low Temp | Standard (Viton) | 2A26277 |
| Hammer Union | Hydraulic | Low Temp | Standard | 1A14487HB |
| Hammer Union | Air | Low Temp | Standard | 1A14487A |
| Hammer Union | No Actuator | Low Temp | Standard | 1A24017 |
| Safety Iron | Manual | Low Temp | Standard | 2A27973 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Plug Valves - H2S Service

*NSCWP 10,000 psi

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| Hammer Union | Manual | Low Temp | H2S | 1A14492 |
| Hammer Union | Manual | High Temp | H2S | 2A26271 |

*Note: Other parts or configurations may be available. Contact SPM.

2" Light Weight Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| Hammer Union | Manual | Low Temp | Standard | 2A29633 |

*Note: Other parts or configurations may be available. Contact SPM.

Threaded 2" Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| LPTL - 5,000 psi | Manual | Low Temp | Standard | 1A12477 |
| LPTL - 5,000 psi | Manual | Low Temp | Standard (Viton) | 1A18231 |
| LPTL - 10,000 psi | Manual | Low Temp | Standard | 1A12478 |
| LPTL - 15,000 psi | Manual | Low Temp | Standard | 1A11742 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|--------------------|--------------------|---------------------|--------------------|
| Hammer Union | Manual | Low Temp | Standard | 2A26611 |
| Hammer Union | Gear | Low Temp | Standard | 1A14496 |
| Hammer Union | Gear | Low Temp | Standard (Viton) | 1A14496V |
| Hammer Union | Gear - Low Profile | Low Temp | Standard | 2A30297 |
| Hammer Union | Hydraulic | Low Temp | Standard | 1A14496H |
| Hammer Union | Hydraulic | Low Temp | Standard (Viton) | 2A29316H |
| Hammer Union | Air | Low Temp | Standard | 1A14496A |
| Hammer Union | No Actuator | Low Temp | Standard | 1A18962 |
| Hammer Union | No Actuator | Low Temp | Standard (Viton) | 2A29315 |
| Safety Iron | Manual | Low Temp | Standard | 2A27943 |
| Safety Iron | Gear | Low Temp | Standard | 2A27942 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Plug Valves - H2S Service

*NSCWP 10,000 psi

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| Hammer Union | Gear | Low Temp | H2S | 1A19585 |
| Hammer Union | Hydraulic | Low Temp | H2S | 1A19585H |
| Hammer Union | No Actuator | Low Temp | H2S | 1A20933 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| Hammer Union | Gear | Low Temp | Standard | 2A25182 |
| Hammer Union | Hydraulic | Low Temp | Standard | 2A25182HB |
| Hammer Union | No Actuator | Low Temp | Standard | 2A25154 |
| Safety Iron | Gear | Low Temp | Standard | 2A27872 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1502 Plug Valves - Standard Service

| <u>Connection Type</u> | <u>Actuation</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------|--------------------|---------------------|--------------------|
| Hammer Union | Gear | Low Temp | Standard | 2A25168 |
| Hammer Union | Hydraulic | Low Temp | Standard | 2A25168HB |
| Hammer Union | No Actuator | Low Temp | Standard | 2A25167 |
| Safety Iron | Gear | Low Temp | Standard | 2A28135 |

*Note: Other parts or configurations may be available. Contact SPM.

1" x 2" 1502 Plug Valve Kits & Parts

| <u>Kit Type</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------|--------------------|
| Parts Kit | Standard | | 4L11769 |
| Elastomer Kit | Standard | | 4L20947 |
| Elastomer Kit | H2S | Acid Solvent | 4L20949 |
| Seal Kit | Standard | | 4L14203 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Plug Valve Kits & Parts

| <u>Kit Type</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|-----------------|---------------------|---------------|--------------------|
| Parts Kit | Standard | | 4L11982 |
| Parts Kit | H2S | | 4L14522 |
| Parts Kit | H2S | No Side Ports | 4L20574 |
| Elastomer Kit | Standard | | 4L20948 |
| Elastomer Kit | H2S | Acid Solvent | 4L20950 |
| Seal Kit | Standard | | 4L13694 |
| Seal Kit | Standard | Acid Solvent | 4L16824 |
| Seal Kit | H2S | No Side Ports | 4L20575 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Lightweight Plug Valve Kits & Parts

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 2A30161 |
| Seal Kit | Standard | 2A30162 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Plug Valve Kits & Parts

| <u>Kit Type</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|-----------------------------------|---------------------|--------------|--------------------|
| Parts Kit (SD) | Standard | | 2A30675 |
| Parts Kit (SD) - No Side Segments | Standard | | 2A34110 |
| Elastomer Kit (SD) | Standard | | 2A30678 |
| Seal Kit (SD) | Standard | | 2A30677 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 Plug Valve Kits & Parts

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 2A26353 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1502 Plug Valve Kits & Parts

| <u>Kit Type</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------|---------------------|--------------------|
| Parts Kit | Standard | 2A26354 |

*Note: Other parts or configurations may be available. Contact SPM.

Misc. Plug Valve Parts

| <u>Part</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|----------------|---------------------|--------------|--------------------|
| Grease Stick | Std Temp | Carton of 10 | P13336 |
| Grease Stick | Low Temp | Carton of 10 | P13337 |
| Grease Stick | Low Temp | | P16832 |
| Grease Fitting | | 3/8" NPT | P10064 |

*Note: Other parts or configurations may be available. Contact SPM.

Kit Definitions:

Parts Kit: plug, seals, side segments, seal segments, grease fitting, backup ring

Seal Kit: seals, backup rings, grease fitting, seal segment

Elastomer Kit: seals, backup ring

Relief Valves

2" Spring Relief Valves - Standard Service

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| Hammer Union | 2" LPTL F Outlet | Low Temp | Standard | 2A18138 |
| Hammer Union | 2" 1502F Outlet | Low Temp | Standard | 2A18192 |
| Hammer Union | 2" 1502F Outlet | Low Temp | Standard (Viton) | 2A18192V |
| Hammer Union | 2" 2002F Outlet | Low Temp | Standard | 2A18796 |

*Note: Other parts or configurations may be available. Contact SPM.

2" Spring Relief Valves - H2S Service

*NSCWP 10,000 psi

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| Hammer Union | 2" 1502F Outlet | Low Temp | H2S | 2A18544 |

*Note: Other parts or configurations may be available. Contact SPM.

3" Spring Relief Valves - Standard Service

| <u>Connection Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------|------------------------------------|--------------------|---------------------|--------------------|
| Hammer Union | 3" 1502F Outlet | Low Temp | Standard | 2A22356 |
| Safety Iron | Safety Iron | Low Temp | Standard | 2A29371 |

*Note: Other parts or configurations may be available. Contact SPM.

3" Nitrogen Relief Valves - Standard Service

| <u>Valve Type</u> | <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------------------|------------------------------------|--------------------|---------------------|--------------------|
| Nitrogen - Unloading | 3" 1502F Outlet | Low Temp | Standard | 1A23392 |
| Nitrogen - Back Pressure | 3" 1502F Outlet | Low Temp | Standard | 1A23493LT |

*Note: Other parts or configurations may be available. Contact SPM.

2" Spring Relief Valve Parts

| <u>Type</u> | <u>Other</u> | <u>Part Number</u> |
|-------------------------|--------------|--------------------|
| Parts Kit | Buna | 4L20418 |
| Ball, Seat and Seal Kit | | 4L18755 |
| Seal Kit | Buna | 4L20423 |

*Note: Other parts or configurations may be available. Contact SPM.

3" Spring Relief Valve Parts

| <u>Type</u> | <u>Outlet/Branch Configuration</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|-------------------------|------------------------------------|---------------------|---------------|--------------------|
| Parts Kit | | | Buna | 4L22486 |
| Gate, Nozzle & Seal Kit | | | | 4L22481 |
| Seal Kit | | | Buna | 4L22482 |
| Body Assembly | 3" 1502F Outlet | Standard | Vessel Tested | 2A28817 |

*Note: Other parts or configurations may be available. Contact SPM.

3" Nitrogen Relief Valve Parts

| <u>Type</u> | <u>Outlet/Branch Configuration</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|-------------------------------|------------------------------------|---------------------|---------------|--------------------|
| Parts Kit - Unloading | | Standard | | 4L23547 |
| Parts Kit - Back Pressure | | Standard | | 4L24315 |
| Body Assembly - Unloading | 3" 1502F Outlet | Standard | Vessel Tested | 2A28818 |
| Body Assembly - Back Pressure | 3" 1502F Outlet | Standard | Vessel Tested | 2A28819 |

*Note: Other parts or configurations may be available. Contact SPM.

Kit Definitions (nitrogen):

Parts Kit (Unloading): wear sleeve, nozzle, cartridge, spider, sleeve, seals, backup ring

Parts Kit (Back Pressure): retainer spring, gate, spide, nozzle, seals, bushing, pins, spring

NPS Pipe**2" 1502 NPS Pipe**

| Style | Length | Connection Type | Temperature | Service Type | Part Number |
|-----------------------|---------------|------------------------|--------------------|---------------------|--------------------|
| Non-Detachable | 24" | Hammer Union | Low Temp | Standard | 2A12519 |
| Non-Detachable | 36" | Hammer Union | Low Temp | Standard | 2A12521 |
| Non-Detachable | 48" | Hammer Union | Low Temp | Standard | 2A12525 |
| Non-Detachable | 60" | Hammer Union | Low Temp | Standard | 2A12526 |
| Non-Detachable | 72" | Hammer Union | Low Temp | Standard | 2A12527 |
| Non-Detachable | 96" | Hammer Union | Low Temp | Standard | 2A12528 |
| Non-Detachable | 120" | Hammer Union | Low Temp | Standard | 2A12530 |
| Detachable - Shoulder | 24" | Hammer Union | Low Temp | Standard | 2A22811 |
| Detachable - Shoulder | 36" | Hammer Union | Low Temp | Standard | 2A22766 |
| Detachable - Shoulder | 48" | Hammer Union | Low Temp | Standard | 2A22812 |
| Detachable - Shoulder | 60" | Hammer Union | Low Temp | Standard | 2A22813 |
| Detachable - Shoulder | 72" | Hammer Union | Low Temp | Standard | 2A22814 |
| Detachable - Shoulder | 96" | Hammer Union | Low Temp | Standard | 2A22815 |
| Detachable - Shoulder | 120" | Hammer Union | Low Temp | Standard | 2A22816 |
| Detachable - Plain | 24" | Hammer Union | Low Temp | Standard | 2A23281 |
| Detachable - Plain | 36" | Hammer Union | Low Temp | Standard | 2A23384 |
| Detachable - Plain | 48" | Hammer Union | Low Temp | Standard | 2A23282 |
| Detachable - Plain | 60" | Hammer Union | Low Temp | Standard | 2A23385 |
| Detachable - Plain | 72" | Hammer Union | Low Temp | Standard | 2A23283 |
| Detachable - Plain | 96" | Hammer Union | Low Temp | Standard | 2A23390 |
| Detachable - Plain | 120" | Hammer Union | Low Temp | Standard | 2A23284 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 NPS Pipe

| Style | Length | Connection Type | End Configuration | Temperature | Service Type | Part Number |
|-----------------------|---------------|------------------------|--------------------------|--------------------|---------------------|--------------------|
| Non-Detachable | 24" | Hammer Union | | Low Temp | Standard | 2A12554 |
| Non-Detachable | 36" | Hammer Union | | Low Temp | Standard | 2A12556 |
| Non-Detachable | 48" | Hammer Union | | Low Temp | Standard | 2A12559 |
| Mix - Non-Detachable | 48" | Mix | 3" 15K SI x 3" 1502F | Low Temp | Standard | 2A28038 |
| Non-Detachable | 60" | Hammer Union | | Low Temp | Standard | 2A12562 |
| Non-Detachable | 72" | Hammer Union | | Low Temp | Standard | 2A12563 |
| Non-Detachable | 96" | Hammer Union | | Low Temp | Standard | 2A12565 |
| Non-Detachable | 120" | Hammer Union | | Low Temp | Standard | 2A12568 |
| Detachable - Shoulder | 24" | Hammer Union | | Low Temp | Standard | 2A22820 |
| Detachable - Shoulder | 36" | Hammer Union | | Low Temp | Standard | 2A22768 |
| Detachable - Shoulder | 48" | Hammer Union | | Low Temp | Standard | 2A22821 |
| Detachable - Shoulder | 60" | Hammer Union | | Low Temp | Standard | 2A22822 |
| Detachable - Shoulder | 72" | Hammer Union | | Low Temp | Standard | 2A22823 |
| Detachable - Shoulder | 96" | Hammer Union | | Low Temp | Standard | 2A22824 |
| Detachable - Shoulder | 120" | Hammer Union | | Low Temp | Standard | 2A22825 |
| Detachable - Plain | 24" | Hammer Union | | Low Temp | Standard | 2A23268 |
| Detachable - Plain | 36" | Hammer Union | | Low Temp | Standard | 2A23627 |
| Detachable - Plain | 48" | Hammer Union | | Low Temp | Standard | 2A23269 |
| Detachable - Plain | 60" | Hammer Union | | Low Temp | Standard | 2A23628 |
| Detachable - Plain | 72" | Hammer Union | | Low Temp | Standard | 2A23285 |
| Detachable - Plain | 120" | Hammer Union | | Low Temp | Standard | 2A23270 |
| N/A | 48" | Safety Iron | | Low Temp | Standard | 2A27931 |
| N/A | 120" | Safety Iron | | Low Temp | Standard | 2A27939 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 1002 NPS Pipe

| <u>Style</u> | <u>Length</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|-----------------------|---------------|------------------------|--------------------|---------------------|--------------------|
| Non-Detachable | 24" | Hammer Union | Low Temp | Standard | 2A28239 |
| Non-Detachable | 36" | Hammer Union | Low Temp | Standard | 2A28240 |
| Non-Detachable | 48" | Hammer Union | Low Temp | Standard | 2A28243 |
| Non-Detachable | 60" | Hammer Union | Low Temp | Standard | 2A28245 |
| Non-Detachable | 72" | Hammer Union | Low Temp | Standard | 2A28246 |
| Non-Detachable | 96" | Hammer Union | Low Temp | Standard | 2A28251 |
| Non-Detachable | 120" | Hammer Union | Low Temp | Standard | 2A28254 |
| Detachable - Shoulder | 24" | Hammer Union | Low Temp | Standard | 2A28881 |
| Detachable - Shoulder | 36" | Hammer Union | Low Temp | Standard | 2A28882 |
| Detachable - Shoulder | 48" | Hammer Union | Low Temp | Standard | 2A28883 |
| Detachable - Shoulder | 72" | Hammer Union | Low Temp | Standard | 2A28886 |
| Detachable - Shoulder | 96" | Hammer Union | Low Temp | Standard | 2A28887 |
| Detachable - Shoulder | 120" | Hammer Union | Low Temp | Standard | 2A28888 |
| Detachable - Plain | 24" | Hammer Union | Low Temp | Standard | 2A29067 |
| Detachable - Plain | 36" | Hammer Union | Low Temp | Standard | 2A29068 |
| Detachable - Plain | 48" | Hammer Union | Low Temp | Standard | 2A29069 |
| Detachable - Plain | 60" | Hammer Union | Low Temp | Standard | 2A29070 |
| Detachable - Plain | 72" | Hammer Union | Low Temp | Standard | 2A29071 |
| Detachable - Plain | 96" | Hammer Union | Low Temp | Standard | 2A29072 |
| Detachable - Plain | 120" | Hammer Union | Low Temp | Standard | 2A29073 |
| N/A | 24" | Safety Iron | Low Temp | Standard | 2A29648 |
| N/A | 36" | Safety Iron | Low Temp | Standard | 2A29651 |
| N/A | 48" | Safety Iron | Low Temp | Standard | 2A29653 |
| N/A | 60" | Safety Iron | Low Temp | Standard | 2A29654 |
| N/A | 72" | Safety Iron | Low Temp | Standard | 2A29656 |
| N/A | 96" | Safety Iron | Low Temp | Standard | 2A29659 |
| N/A | 120" | Safety Iron | Low Temp | Standard | 2A29660 |

*Note: Other parts or configurations may be available. Contact SPM.

Integral Pup Joints

2" 1502 Pup Joints - Standard Service

| <u>Length</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------|------------------------|--------------------|---------------------|--------------------|
| 48" | Hammer Union | Low Temp | Standard | 2A19448 |
| 60" | Hammer Union | Low Temp | Standard | 2A20387 |
| 72" | Hammer Union | Low Temp | Standard | 2A19859 |
| 90" | Hammer Union | Low Temp | Standard | 2A19449 |
| 114" | Hammer Union | Low Temp | Standard | 2A19861 |
| 48" | Safety Iron | Low Temp | Standard | 2A27947 |

*Note: Other parts or configurations may be available. Contact SPM.

2" 1502 Pup Joints - H2S Service

*NSCWP 10,000 psi

| <u>Length</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------|------------------------|--------------------|---------------------|--------------------|
| 48" | Hammer Union | Low Temp | H2S | 2A19453 |
| 60" | Hammer Union | Low Temp | H2S | 2A22081 |
| 72" | Hammer Union | Low Temp | H2S | 2A19856 |
| 90" | Hammer Union | Low Temp | H2S | 2A19454 |
| 114" | Hammer Union | Low Temp | H2S | 2A19858 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Pup Joints - Standard Service

| <u>Length</u> | <u>Connection Type</u> | <u>End Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------|------------------------|--------------------------|--------------------|---------------------|--------------------|
| 48" | Hammer Union | | Low Temp | Standard | 2A20522 |
| 60" | Hammer Union | | Low Temp | Standard | 2A24677 |
| 72" | Hammer Union | | Low Temp | Standard | 2A20523 |
| 90" | Hammer Union | | Low Temp | Standard | 2A20524 |
| 114" | Hammer Union | | Low Temp | Standard | 2A20526 |
| 48" | Mix | 3" 15K SI x 3" 1502F | Low Temp | Standard | 2A28216 |
| 48" | Mix | 3" 15K SI x 3" 1502M | Low Temp | Standard | 2A28179 |
| 48" | Safety Iron | | Low Temp | Standard | 2A27906 |
| 72" | Mix | 3" 15K SI x 3" 1502M | Low Temp | Standard | 2A28181 |
| 72" | Mix | 3" 15K SI x 3" 1502F | Low Temp | Standard | 2A28196 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 1502 Pup Joints - H2S Service

*NSCWP 10,000 psi

| <u>Length</u> | <u>Connection Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|---------------|------------------------|--------------------|---------------------|--------------------|
| 48" | Hammer Union | Low Temp | H2S | 2A20527 |
| 60" | Hammer Union | Low Temp | H2S | 2A22596 |
| 72" | Hammer Union | Low Temp | H2S | 2A20528 |
| 114" | Hammer Union | Low Temp | H2S | 2A20531 |

*Note: Other parts or configurations may be available. Contact SPM.

Integral Crossovers

Short Crossovers (Under 24") - Standard Service

| Outlet/Branch Configuration | Length | Other | Temperature | Service Type | Part Number |
|------------------------------------|---------------|---------------|--------------------|---------------------|--------------------|
| 2" 1502F x 2" 1502F | 7" | | Low Temp | Standard | 2P10026 |
| 2" 1502F x 3" 1502F | 7" | | Std Temp | Standard | 3P10107 |
| 2" 1502F x 4" 1502F | 7" | | Std Temp | Standard | 2P26413 |
| 2" 1502M x 2" 1502F | 5.25" | | Std Temp | Standard | 3A22166 |
| 2" 1502M x 2" 1502F | 6" | | Low Temp | Standard | 3A23131 |
| 2" 1502M x 2" 1502F | 6.5" | | Std Temp | Standard | 3L13232 |
| 2" 1502M x 2" 1502F | 7" | | Std Temp | Standard | 3L11579 |
| 2" 1502M x 2" 1502F | 7" | | Low Temp | Standard | 3A22139 |
| 2" 1502M x 2" 1502F | 8" | | Std Temp | Standard | 3A24829 |
| 2" 1502M x 2" 1502F | 8.5" | | Std Temp | Standard | 3A23164 |
| 2" 1502M x 2" 1502F | 10.03 | | Std Temp | Standard | 3A21100 |
| 2" 1502M x 2" 1502F | 10.03" | | Low Temp | Standard | 3A21306 |
| 2" 1502M x 2" 1502F | 12" | | Std Temp | Standard | 3A21290 |
| 2" 1502M x 2" 1502F | 13.5" | | Low Temp | Standard | 2A29643 |
| 2" 1502M x 2" 1502F | 13.88" | | Low Temp | Standard | 3A20540 |
| 2" 1502M x 2" 1502F | 14" | | Std Temp | Standard | 3A24833 |
| 2" 1502M x 2" 1502F | 19.5" | | Low Temp | Standard | 2A29644 |
| 2" 1502M x 2" 1502F | 20" | | Std Temp | Standard | 3A24746 |
| 2" 1502M x 2" 1502F | 9" | .25" ID Choke | Low Temp | Standard | 2A28868 |
| 2" 1502M x 2" 1502F | 9" | .5" ID Choke | Low Temp | Standard | 2A28869 |
| 2" 1502M x 2" 1502F | 8.63" | Choke FC140 | Low Temp | Standard | 2A26132 |
| 2" 1502M x 2" 1502F | 8.63" | Choke FC140 | Low Temp | Standard | 3A20638 |
| 2" 1502M x 2" 1502F | 5.5" | Eccentric | Low Temp | Standard | 2A28658 |
| 2" 1502M x 2" 1502F | 5.88" | Eccentric | Low Temp | Standard | 2A28659 |
| 2" 1502M x 2" 1502M | 7" | | Low Temp | Standard | 3L11571 |
| 2" 1502M x 2" 1502M | 8.06" | | Low Temp | Standard | 3A19564 |
| 2" 1502M x 2" 1502M | 8.5" | | Low Temp | Standard | 2A28584 |
| 2" 1502M x 2" 1502M | 9" | | Std Temp | Standard | 3A24742 |
| 2" 1502M x 2" 1502M | 11" | | Std Temp | Standard | 3A18213 |
| 2" 1502M x 2" 1502M | 11" | | Low Temp | Standard | 3A20981 |
| 2" 1502M x 2" 1502M | 12" | | Std Temp | Standard | 3A21209 |
| 2" 1502M x 2" 1502M | 12.38" | | Std Temp | Standard | 3A23676 |
| 2" 1502M x 2" 1502M | 16.25" | | Low Temp | Standard | 2A28947 |
| 2" 1502M x 3" 1502F | 7" | | Std Temp | Standard | 3L11582 |
| 2" 1502M x 3" 1502F | 7" | | Low Temp | Standard | 3A20090 |
| 2" 1502M x 3" 1502F | 7" | | Std Temp | Standard (Viton) | 3L13416 |
| 2" 1502M x 3" 1502M | 7" | | Low Temp | Standard | 3A20088 |
| 2" 1502M x 3" 1502M | 7" | | Std Temp | Standard | 3L11572 |
| 2" 1502M x 3" 602F | 7" | | Std Temp | Standard | 3A22250 |
| 2" 1502M x 4" 1002F | 7" | | Std Temp | Standard | 3L11588 |
| 2" 1502M x 4" 1002M | 7" | | Std Temp | Standard | 3A24884 |
| 2" 1502M x 4" 1502F | 7" | | Std Temp | Standard | 2A28858 |
| 2" 15K SI x 2" 1502F | 5" | | Std Temp | Standard | 2A27798 |
| 2" 15K SI x 2" 1502M | 6" | | Std Temp | Standard | 2A26880 |
| 2" 15K SI x 2" 1502M | 6" | | Std Temp | Standard | 2A27797 |
| 2" 15K SI x 3" 1502F | 5" | | Std Temp | Standard | 2A27799 |
| 2" 2002M x 2" 1502F | 7" | | Low Temp | Standard | 3A21065 |
| 3" 1502F x 3" 1502F | 7" | | Std Temp | Standard | 3P10109 |

| | | | | | |
|-----------------------|--------|----------------|----------|------------------|-----------|
| 3" 1502F x 3" 1502F | 18.5" | | Low Temp | Standard | 2A29672 |
| 3" 1502M x 2" 1502F | 5.62" | | Std Temp | Standard | 3L11580 |
| 3" 1502M x 2" 1502F | 5.62" | | Low Temp | Standard | 3A20089 |
| 3" 1502M x 3" 1502F | 7" | | Std Temp | Standard | 3L11583 |
| 3" 1502M x 3" 1502F | 7" | | Std Temp | Standard (Viton) | 3L11583V |
| 3" 1502M x 3" 1502F | 8.27" | | Std Temp | Standard | 2A108286 |
| 3" 1502M x 3" 1502F | 11" | | Low Temp | Standard (Viton) | 2A29289 |
| 3" 1502M x 3" 1502F | 12" | | Std Temp | Standard | 2A24351 |
| 3" 1502M x 3" 1502F | 14.44" | | Low Temp | Standard (Viton) | 2A29293 |
| 3" 1502M x 3" 1502F | 14.87" | | Low Temp | Standard | 2A111936 |
| 3" 1502M x 3" 1502F | 14.87" | | Std Temp | Standard | 2A28684 |
| 3" 1502M x 3" 1502F | 14.87" | | Low Temp | Standard | 2A29041 |
| 3" 1502M x 3" 1502F | 15.5" | | Low Temp | Standard | 2A33312 |
| 3" 1502M x 3" 1502F | 16" | | Std Temp | Standard | 2A27056 |
| 3" 1502M x 3" 1502F | 17" | | Low Temp | Standard (Viton) | 2A29295 |
| 3" 1502M x 3" 1502F | 18" | 4.5" OD | Std Temp | Standard | 3A22436 |
| 3" 1502M x 3" 1502F | 21" | 4.5" OD | Std Temp | Standard | 2A25469 |
| 3" 1502M x 3" 1502M | 7" | | Std Temp | Standard | 3L11574 |
| 3" 1502M x 3" 1502M | 7" | | Low Temp | Standard | 3A20576 |
| 3" 1502M x 3" 1502M | 12" | | Std Temp | Standard | 3A22406 |
| 3" 1502M x 3" 1502M | 15" | | Std Temp | Standard | 2A27514 |
| 3" 1502M x 3" 602F | 7" | | Std Temp | Standard | 3A21282 |
| 3" 1502M x 4" 1002M | 7" | | Std Temp | Standard | 3A22124 |
| 3" 1502M x 4" 1502F | 7" | | Low Temp | Standard | 2A28957 |
| 3" 1502M x 4" 1502F | 7" | | Std Temp | Standard | 3L12546 |
| 3" 1502M x 4" 1502F | 7" | | Std Temp | Standard | 2A28735 |
| 3" 1502M x 4" 1502M | 8" | | Std Temp | Standard | 3A20632 |
| 3" 15K SI x 2" 1502F | 5" | | Low Temp | Standard | 2A27785 |
| 3" 15K SI x 2" 1502M | 6" | | Low Temp | Standard | 2A27788 |
| 3" 15K SI x 3" 1502F | 5" | | Std Temp | Standard | 2A27900 |
| 3" 15K SI x 3" 1502F | 5" | | Low Temp | Standard | 2A27901LT |
| 3" 15K SI x 3" 1502F | 8.25" | 1" ID Choke | Low Temp | Standard | 2A29844 |
| 3" 15K SI x 3" 1502F | 8.25" | 1.19" ID Choke | Low Temp | Standard | 2A29845 |
| 3" 15K SI x 3" 1502F | 8.25" | 1.38" ID Choke | Low Temp | Standard | 2A29846 |
| 3" 15K SI x 3" 1502M | 6" | | Std Temp | Standard | 2A27902 |
| 3" 15K SI x 3" 1502M | 6" | | Low Temp | Standard | 2A27903LT |
| 3" 15K SI x 3" 1502M | 11" | | Low Temp | Standard | 2A29333 |
| 3" 15K SI x 3" 1502M | 12" | | Low Temp | Standard | 2A32853 |
| 3" 15K SI x 3" 15K SI | 7.25" | | Low Temp | Standard | 2A30274 |
| 3" 15K SI x 3" 15K SI | 10.91" | | Low Temp | Standard | 2A30344 |
| 3" 15K SI x 3" 15K SI | 11.13" | | Low Temp | Standard | 2A29467 |
| 3" 15K SI x 3" 15K SI | 13.63" | | Low Temp | Standard | 2A29422 |
| 3" 15K SI x 3" 15K SI | 13.63" | | Std Temp | Standard | 2A30511 |
| 3" 15K SI x 3" 15K SI | 14.25" | | Low Temp | Standard | 2A30414 |
| 3" 15K SI x 3" 15K SI | 14.72" | | Low Temp | Standard | 2A30416 |
| 3" 15K SI x 3" 15K SI | 16.54" | | Std Temp | Standard | 2A32433 |
| 3" 15K SI x 3" 15K SI | 16" | 2.5" Bore | Low Temp | Standard | 2A29130 |
| 3" 15K SI x 3" 15K SI | 14.77" | 2.5" ID | Low Temp | Standard | 2A28814 |
| 3" 15K SI x 3" 15K SI | 14.77" | 2.5" ID | Std Temp | Standard | 2A28850 |
| 3" 15K SI x 3" 15K SI | 15.63" | 2.5" ID | Std Temp | Standard | 2A28639 |
| 3" 15K SI x 3" 15K SI | 8" | 2.5" ID | Low Temp | Standard | 2A29680 |
| 3" 15K SI x 3" 15K SI | 8.51" | 2.75" ID | Low Temp | Standard | 2A29301 |
| 3" 15K SI x 3" 15K SI | 6.5" | 3" ID | Std Temp | Standard | 2A28725 |
| 3" 15K SI x 3" 15K SI | 10.16" | Adjustable | Low Temp | Standard | 2A28751 |
| 3" 15K SI x 3" 15K SI | 14.75" | Adjustable | Low Temp | Standard | 2A26719 |

| | | | | | |
|-----------------------|--------|------------|----------|----------|-----------|
| 3" 15K SI x 3" 15K SI | 21" | Adjustable | Low Temp | Standard | 2A33093 |
| 3" 15K SI x 4" 10K SI | 5" | | Low Temp | Standard | 2A27792 |
| 3" 602M x 2" 1502F | 5.63" | | Std Temp | Standard | 3L13573 |
| 3" 602M x 3" 602F | 7" | | Std Temp | Standard | 3A22251 |
| 3" 602M x 4" 602F | 7" | | Std Temp | Standard | 3A22253 |
| 4" 1002F x 3" 1502M | 7" | | Std Temp | Standard | 3L11589 |
| 4" 1002F x 4" 1002F | 7" | | Std Temp | Standard | 2P21017 |
| 4" 1002F x 4" 1502F | 7" | | Std Temp | Standard | 2P27474 |
| 4" 1002M x 2" 1502F | 7" | | Std Temp | Standard | 3A19457 |
| 4" 1002M x 3" 1502F | 7" | | Std Temp | Standard | 3A20832 |
| 4" 1002M x 3" 1502F | 7" | | Std Temp | Standard | 3A20498 |
| 4" 1002M x 4" 1002F | 7" | | Std Temp | Standard | 3A20157 |
| 4" 1002M x 4" 1002F | 19.69" | | Std Temp | Standard | 2A28856 |
| 4" 1002M x 4" 1002M | 7" | | Std Temp | Standard | 3A19581 |
| 4" 1002M x 4" 1502F | 8.13" | | Std Temp | Standard | 3A20443 |
| 4" 10K SI x 2" 1502F | 3.75" | | Low Temp | Standard | 2A27790 |
| 4" 10K SI x 2" 1502F | 6" | | Low Temp | Standard | 2A28158 |
| 4" 10K SI x 2" 1502M | 7" | | Std Temp | Standard | 2A27795 |
| 4" 10K SI x 2" 1502M | 7" | | Low Temp | Standard | 2A27791 |
| 4" 10K SI x 3" 1502F | 5" | | Low Temp | Standard | 2A27786 |
| 4" 10K SI x 4" 1002F | 5" | | Std Temp | Standard | 2A27977 |
| 4" 10K SI x 4" 1002F | 20" | | Low Temp | Standard | 2A29189 |
| 4" 10K SI x 4" 1002M | 7.25" | | Std Temp | Standard | 2A27979 |
| 4" 10K SI x 4" 1002M | 7.25" | | Low Temp | Standard | 2A27980LT |
| 4" 10K SI x 4" 1502M | 7.75" | | Std Temp | Standard | 2A27794 |
| 4" 1502F x 3" 1502F | 7" | | Std Temp | Standard | 2P25864 |
| 4" 1502F x 4" 1502F | 7" | | Low Temp | Standard | 2A33139 |
| 4" 1502F x 4" 1502F | 7" | | Std Temp | Standard | 2P26750 |
| 4" 1502M x 2" 1502F | 7" | | Std Temp | Standard | 2A25235 |
| 4" 1502M x 4" 1002F | 7" | | Std Temp | Standard | 3A19583 |
| 4" 1502M x 4" 1002F | 8.13" | | Std Temp | Standard | 3A20445 |
| 4" 1502M x 4" 1002M | 8" | | Std Temp | Standard | 2A22470 |
| 4" 1502M x 4" 1502F | 7.5" | | Low Temp | Standard | 2A28702 |
| 4" 1502M x 4" 1502F | 12" | | Std Temp | Standard | 2A30625 |
| 4" 1502M x 4" 1502F | 16" | | Low Temp | Standard | 2A28861 |
| 4" 15K SI x 3" 1502F | 6" | | Low Temp | Standard | 2A28138 |
| 4" 15K SI x 3" 1502F | 6" | | Low Temp | Standard | 2A28156 |
| 4" 15K SI x 3" 1502M | 8.5" | | Low Temp | Standard | 2A28136 |
| 4" 15K SI x 3" 15K SI | 7" | | Low Temp | Standard | 2A27789 |
| 4" 15K SI x 4" 1002F | 6" | | Low Temp | Standard | 2A28157 |
| 4" 15K SI x 4" 1002M | 9.25" | | Low Temp | Standard | 2A28159 |
| 4" 15K SI x 4" 10K SI | 7" | | Low Temp | Standard | 2A29687 |
| 4" 15K SI x 4" 1502M | 8.5" | | Low Temp | Standard | 2A28139 |
| 4" 15K SI x 4" 15K SI | 12" | | Low Temp | Standard | 2A28330 |
| 4" 15K SI x 4" 15K SI | 14" | | Low Temp | Standard | 2A28165 |
| 4" 15K SI x 4" 15K SI | 21" | | Low Temp | Standard | 2A30369 |
| 4" 15K SI x 4" 15K SI | 15.75" | 6.5" OD | Low Temp | Standard | 2A28665 |

*Note: Other parts or configurations may be available. Contact SPM.

Short Crossovers (Under 24") - H2S Service

| <u>Outlet/Branch Configuration</u> | <u>Length</u> | <u>Other</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------------------|---------------|--------------|--------------------|---------------------|--------------------|
| 2" 1502F x 2" 1502F | 7" | | Low Temp | H2S | 3P18499 |
| 2" 1502F x 3" 1502F | 7" | | Low Temp | H2S | 3P19736 |
| 2" 1502M x 2" 1502F | 5" | | Low Temp | H2S | 2A26273 |
| 2" 1502M x 2" 1502F | 7" | | Low Temp | H2S | 3A19476 |

| | | | | | |
|---------------------|--------|----------|----------|-----|---------|
| 2" 1502M x 2" 1502F | 10.03" | | Low Temp | H2S | 3A25059 |
| 2" 1502M x 2" 1502F | 12" | | Low Temp | H2S | 3A20962 |
| 2" 1502M x 2" 1502M | 7" | | Low Temp | H2S | 3A18501 |
| 2" 1502M x 2" 2202F | 7" | | Low Temp | H2S | 3A19154 |
| 2" 1502M x 3" 1502F | 7" | | Low Temp | H2S | 3A20095 |
| 2" 1502M x 3" 1502M | 7" | | Low Temp | H2S | 3A20092 |
| 2" 2202M x 2" 1502F | 7" | | Low Temp | H2S | 3A21037 |
| 2" 2202M x 3" 2202F | 9" | 1.78" ID | Low Temp | H2S | 2A27174 |
| 3" 1502F x 3" 1502F | 7" | | Low Temp | H2S | 3P19741 |
| 3" 1502M x 2" 1502F | 5.62" | | Low Temp | H2S | 3A20093 |
| 3" 1502M x 3" 1502F | 7" | | Low Temp | H2S | 3A21058 |
| 3" 1502M x 3" 1502M | 7" | | Low Temp | H2S | 3A20091 |

*Note: Other parts or configurations may be available. Contact SPM.

Long Crossovers (Over 24") - Standard Service

| Outlet/Branch Configuration | Length | Other | Temperature | Service Type | Part Number |
|-----------------------------|---------|---------|-------------|------------------|-------------|
| 2" 1502M x 2" 1502F | 24" | | Std Temp | Standard | 3A20482 |
| 2" 1502M x 2" 1502F | 24" | | Low Temp | Standard | 3A23824 |
| 2" 1502M x 2" 1502F | 36" | | Low Temp | Standard | 3A23376 |
| 2" 1502M x 2" 1502F | 38" | | Std Temp | Standard | 2A24948 |
| 2" 1502M x 2" 1502F | 49.75" | | Low Temp | Standard | 2A29968 |
| 3" 1502F x 3" 1502F | 34" | | Low Temp | Standard | 2A30125 |
| 3" 1502F x 3" 1502F | 36" | | Low Temp | Standard | 2A29618 |
| 3" 1502F x 3" 1502F | 42" | | Std Temp | Standard | 2A29465 |
| 3" 1502M x 3" 1502F | 24" | | Low Temp | Standard | 2A29010 |
| 3" 1502M x 3" 1502F | 24" | | Std Temp | Standard | 3A23472 |
| 3" 1502M x 3" 1502F | 31.06" | | Low Temp | Standard (Viton) | 2A29291 |
| 3" 1502M x 3" 1502F | 36" | | Std Temp | Standard | 2A25597 |
| 3" 1502M x 3" 1502F | 36" | | Low Temp | Standard | 2A29011 |
| 3" 1502M x 3" 1502F | 37.38" | | Low Temp | Standard | 2A29439 |
| 3" 1502M x 3" 1502F | 38.63" | | Std Temp | Standard | 2A26384 |
| 3" 1502M x 3" 1502F | 39" | | Low Temp | Standard | 2A29305 |
| 3" 1502M x 3" 1502F | 40.88" | | Low Temp | Standard | 2A30582 |
| 3" 1502M x 3" 1502F | 42" | | Low Temp | Standard | 2A30026 |
| 3" 1502M x 3" 1502F | 43.41" | | Std Temp | Standard | 2A28542 |
| 3" 1502M x 3" 1502F | 48" | | Low Temp | Standard | 2A34098 |
| 3" 1502M x 3" 1502F | 51.88" | | Low Temp | Standard | 2A29484 |
| 3" 1502M x 3" 1502F | 61.06" | | Low Temp | Standard | 2A29766 |
| 3" 1502M x 3" 1502F | 62" | | Low Temp | Standard | 2A30583 |
| 3" 1502M x 3" 1502F | 62" | | Std Temp | Standard | 2A28280 |
| 3" 1502M x 3" 1502F | 64.25" | | Std Temp | Standard | 2A26385 |
| 3" 1502M x 3" 1502F | 65" | | Low Temp | Standard | 2A33272 |
| 3" 1502M x 3" 1502F | 65.14" | | Std Temp | Standard | 2A28805 |
| 3" 1502M x 3" 1502F | 65.25" | | Std Temp | Standard | 2A27057 |
| 3" 1502M x 3" 1502F | 65.25" | | Low Temp | Standard | 2A30584 |
| 3" 1502M x 3" 1502F | 73.875" | | Std Temp | Standard | 2A30095 |
| 3" 1502M x 3" 1502F | 74.33" | | Std Temp | Standard | 2A28738 |
| 3" 1502M x 3" 1502F | 82.25" | | Low Temp | Standard | 2A28582 |
| 3" 1502M x 3" 1502F | 24" | 4.5" OD | Std Temp | Standard | 3A23861 |
| 3" 15K SI x 3" 1502F | 25" | | Low Temp | Standard | 2A30615 |
| 3" 15K SI x 3" 1502M | 30" | | Std Temp | Standard | 2A30493 |
| 3" 15K SI x 3" 15K SI | 24" | | Low Temp | Standard | 2A33092 |
| 3" 15K SI x 3" 15K SI | 27.9" | | Low Temp | Standard | 2A33604 |
| 3" 15K SI x 3" 15K SI | 30.15" | | Low Temp | Standard | 2A32432 |
| 3" 15K SI x 3" 15K SI | 31.25" | | Low Temp | Standard | 2A28995 |
| 3" 15K SI x 3" 15K SI | 37.11" | | Low Temp | Standard | 2A29505 |
| 3" 15K SI x 3" 15K SI | 58.4" | | Low Temp | Standard | 2A29503 |
| 3" 15K SI x 3" 15K SI | 73.25" | | Low Temp | Standard | 2A29437 |


| | | | | | |
|-----------------------|---------|----------|----------|----------|-----------|
| 3" 15K SI x 3" 15K SI | 75.88" | | Low Temp | Standard | 2A30418 |
| 3" 15K SI x 3" 15K SI | 85.22" | | Low Temp | Standard | 2A30420 |
| 3" 15K SI x 3" 15K SI | 48" | 2.5" ID | Low Temp | Standard | 2A29676 |
| 3" 15K SI x 3" 15K SI | 54.68" | 2.5" ID | Low Temp | Standard | 2A28769LT |
| 3" 15K SI x 3" 15K SI | 48" | 2.75" ID | Low Temp | Standard | 2A29352 |
| 3" 15K SI x 3" 15K SI | 54.56" | 2.75" ID | Std Temp | Standard | 2A29335 |
| 3" 15K SI x 3" 15K SI | 120.44" | 3" ID | Std Temp | Standard | 2A28727 |
| 3" 15K SI x 3" 15K SI | 36" | 3" ID | Low Temp | Standard | 2A32999 |
| 3" 15K SI x 3" 15K SI | 97.25" | 3" ID | Std Temp | Standard | 2A28726 |
| 4" 1002M x 4" 1002F | 24" | | Std Temp | Standard | 3A22497 |
| 4" 10K SI x 4" 1002F | 32" | | Low Temp | Standard | 2A29091 |
| 4" 10K SI x 4" 10K SI | 32" | | Low Temp | Standard | 2A28993 |
| 4" 1502M x 4" 1502F | 120" | | Low Temp | Standard | 2A28706 |
| 4" 1502M x 4" 1502F | 144" | | Low Temp | Standard | 2A28969 |
| 4" 1502M x 4" 1502F | 24" | | Low Temp | Standard | 2A28375 |
| 4" 1502M x 4" 1502F | 30" | | Low Temp | Standard | 2A29132 |
| 4" 1502M x 4" 1502F | 36" | | Low Temp | Standard | 2A28704 |
| 4" 1502M x 4" 1502F | 48" | | Low Temp | Standard | 2A28705 |
| 4" 1502M x 4" 1502F | 60" | | Low Temp | Standard | 2A28709 |
| 4" 1502M x 4" 1502F | 72" | | Low Temp | Standard | 2A28630 |
| 4" 1502M x 4" 1502F | 84" | | Std Temp | Standard | 2A30623 |
| 4" 1502M x 4" 1502F | 96" | | Low Temp | Standard | 2A29028 |
| 4" 15K SI x 4" 1502F | 48" | | Low Temp | Standard | 2A29904 |
| 4" 15K SI x 4" 1502M | 72" | | Low Temp | Standard | 2A28824 |
| 4" 15K SI x 4" 15K SI | 102" | | Low Temp | Standard | 2A28901 |
| 4" 15K SI x 4" 15K SI | 108" | | Low Temp | Standard | 2A28690 |
| 4" 15K SI x 4" 15K SI | 111" | | Low Temp | Standard | 2A29298 |
| 4" 15K SI x 4" 15K SI | 114" | | Low Temp | Standard | 2A29180 |
| 4" 15K SI x 4" 15K SI | 120" | | Low Temp | Standard | 2A28902 |
| 4" 15K SI x 4" 15K SI | 132" | | Low Temp | Standard | 2A29463 |
| 4" 15K SI x 4" 15K SI | 24" | | Low Temp | Standard | 2A28167 |
| 4" 15K SI x 4" 15K SI | 240" | | Low Temp | Standard | 2A30286 |
| 4" 15K SI x 4" 15K SI | 26.8" | | Low Temp | Standard | 2A33168 |
| 4" 15K SI x 4" 15K SI | 33" | | Low Temp | Standard | 2A30371 |
| 4" 15K SI x 4" 15K SI | 36.5" | | Low Temp | Standard | 2A29003 |
| 4" 15K SI x 4" 15K SI | 42" | | Low Temp | Standard | 2A30373 |
| 4" 15K SI x 4" 15K SI | 48" | | Low Temp | Standard | 2A28831 |
| 4" 15K SI x 4" 15K SI | 50.5" | | Low Temp | Standard | 2A33166 |
| 4" 15K SI x 4" 15K SI | 60" | | Low Temp | Standard | 2A28873 |
| 4" 15K SI x 4" 15K SI | 60.25" | | Low Temp | Standard | 2A29005 |
| 4" 15K SI x 4" 15K SI | 66" | | Low Temp | Standard | 2A33170 |
| 4" 15K SI x 4" 15K SI | 72" | | Low Temp | Standard | 2A28689 |
| 4" 15K SI x 4" 15K SI | 74.25" | | Low Temp | Standard | 2A29730 |
| 4" 15K SI x 4" 15K SI | 84" | | Low Temp | Standard | 2A28961 |
| 4" 15K SI x 4" 15K SI | 88" | | Low Temp | Standard | 2A28985 |
| 4" 15K SI x 4" 15K SI | 90" | | Low Temp | Standard | 2A29176 |
| 4" 15K SI x 4" 15K SI | 96" | | Low Temp | Standard | 2A28900 |
| 4" 15K SI x 4" 15K SI | 72.75" | 6.5" OD | Low Temp | Standard | 2A28666 |

*Note: Other parts or configurations may be available. Contact SPM.

Long Crossovers (Over 24") - H2S Service

| <u>Outlet/Branch Configuration</u> | <u>Length</u> | <u>Other</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|------------------------------------|---------------|--------------|--------------------|---------------------|--------------------|
| 2" 1502M x 2" 1502F | 24" | | Low Temp | H2S | 3A22938 |
| 2" 1502M x 2" 1502F | 36" | | Low Temp | H2S | 2A29967 |

**Note: Other parts or configurations may be available. Contact SPM.*

Laterals

45 Degree Laterals

| Outlet/Branch Configuration (A x B x C) | Temperature | Service Type | Other | Part Number |
|---|-------------|--------------|---------------------|-------------|
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | | 3L11611 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | FC-140 Choke Cavity | 2A11764 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | H2S | | 3A18498 |
| 2" 1502M x 2" 1502F x 2" 1502F | Low Temp | Standard | | 3L14032 |
| 2" 1502M x 2" 1502F x 2" 1502F | Low Temp | Standard | Rock Trap | 2A13712 |
| 2" 1502M x 2" 1502F x 2" 1502F | Low Temp | H2S | | 2A21090 |
| 2" 1502M x 2" 1502F x 2" 1502F | Low Temp | Standard | Rock Trap | 2A28531 |
| 2" 1502M x 2" 1502F x 2" 1502M | Low Temp | Standard | | 3A22184 |
| 3" 1502F x 3" 1502M x 2" 1502F | Low Temp | Standard | N2 Choke Cavity | 3A21008 |
| 3" 1502F x 3" 1502M x 2" 1502F | Low Temp | Standard | | 3L11616 |
| 3" 1502F x 3" 1502M x 3" 1502F | Low Temp | Standard | | 3L11613 |
| 3" 1502F x 4" 1002M x 3" 1502F | Low Temp | Standard | | 3A20513 |
| 3" 1502M x 3" 1502F x 3" 1502F | Low Temp | Standard | | 3A20010 |
| 3" 1502M x 3" 1502F x 3" 1502M | Low Temp | Standard | | 3A16949 |
| 3" 1502M x 3" 1502M x 3" 1502F | Low Temp | Standard | | 3A24880 |
| 3" 1502M x 4" 1002F x 3" 1502M | Low Temp | Standard | Reduced Bore | 2A29056 |
| 3" 1502M x 4" 1502F x 3" 1502M | Low Temp | Standard | | 2A28729 |
| 3" 15K SI x 3" 15K SI x 3" 15K SI | Low Temp | Standard | | 2A27834 |
| 4" 1002F x 4" 1002M x 3" 1502F | Low Temp | Standard | | 3A21270 |
| 4" 1002F x 4" 1002M x 4" 1002F | Low Temp | Standard | | 3L12998 |
| 4" 1002F x 4" 1002M x 4" 1002F | Low Temp | Standard | | 2A29143 |
| 4" 1002M x 4" 1002F x 4" 1002F | Low Temp | Standard | | 3L14670 |
| 4" 1002M x 4" 1002F x 4" 1002M | Low Temp | Standard | | 2A26157 |
| 4" 10K SI x 4" 10K SI x 3" 1502F | Low Temp | Standard | | 2A27831 |
| 4" 10K SI x 4" 10K SI x 3" 15K SI | Low Temp | Standard | | 2A27832 |
| 4" 1502F x 4" 1502M x 3" 1502F | Low Temp | Standard | | 2A26756 |
| 4" 1502F x 4" 1502M x 4" 1502F | Low Temp | Standard | | 2A21296 |
| 4" 1502F x 4" 1502M x 4" 15K SI | Low Temp | Standard | | 2A29444 |
| 4" 1502M x 4" 1502F x 3" 1502F | Low Temp | Standard | | 2A26759 |
| 4" 1502M x 4" 1502F x 3" 1502M | Low Temp | Standard | | 2A26754 |
| 4" 1502M x 4" 1502F x 4" 1502M | Low Temp | Standard | | 2A28733 |
| 4" 15K SI x 3" 1502M x 3" 1502M | Low Temp | Standard | | 2A28316 |
| 4" 15K SI x 4" 1502F x 3" 1502F | Low Temp | Standard | | 2A28663 |
| 4" 15K SI x 4" 15K SI x 3" 1502F | Low Temp | Standard | 2.75" ID | 2A29848 |
| 4" 15K SI x 4" 15K SI x 3" 15K SI | Low Temp | Standard | | 2A28162 |
| 4" 15K SI x 4" 15K SI x 3" 15K SI | Low Temp | Standard | | 2A29419 |
| 4" 15K SI x 4" 15K SI x 4" 15K SI | Low Temp | Standard | | 2A28635 |

*Note: Other parts or configurations may be available. Contact SPM.

Tees


Note: The outlet configuration as described below corresponds with the branch labels in this illustration.

| <u>Outlet/Branch Configuration (A x B x C)</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|---|--------------------|---------------------|-----------------------------|--------------------|
| 2" 1502F x 2" 1502F x 2" 1502F | Low Temp | Standard | | 2A13794 |
| 2" 1502F x 2" 1502F x 2" 1502F | Low Temp | H2S | | 2P16900 |
| 2" 1502F x 2" 1502F x 2" 1502M | Low Temp | Standard | | 3L13150 |
| 2" 1502F x 2" 1502F x 2" 1502M | Low Temp | H2S | | 2A16897 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | H2S | | 2A16768 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | | 3L11592 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard (Viton) | | 3L13302 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | Choke - Non Ported | 2A26278 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | H2S | Choke - Non Ported | 2A26283 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | Choke - AE F-562-C Port (L) | 2A26280 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | Choke - AE F-562-C Port (R) | 2A26281 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | H2S | Choke - AE F-562-C Port (L) | 2A26285 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | H2S | Choke - AE F-562-C Port (R) | 2A26286 |
| 2" 1502F x 2" 1502M x 2" 1502M | Low Temp | Standard | | 3L13230 |
| 2" 1502F x 2" 1502M x 2" 1502M | Low Temp | Standard (Viton) | | 3L14509 |
| 2" 1502F x 2" 1502M x 2" 1502M | Low Temp | H2S | | 2A16770 |
| 2" 1502F x 2" 1502M x 4" 1002F | Low Temp | Standard | | 3A22198 |
| 2" 1502F x 3" 1502F x 3" 1502M | Low Temp | Standard | | 2A28803 |
| 2" 1502F x 3" 1502M x 2" 1502F | Low Temp | Standard | | 3A22199 |
| 2" 1502F x 2" 1502F x 2" 1502F Gauge | Low Temp | Standard | Gauge Tee | 2A25993 |
| 2" 1502F x 2" 1502M x 2" 1502F Gauge | Low Temp | Standard | Gauge Tee | 2A13402 |
| 2" 1502F x 2" 1502M x 2" 1502F Gauge | Low Temp | Standard (Viton) | Gauge Tee | 2A13402V |
| 2" 1502M x 2" 1502M x 2" 1502F | Low Temp | Standard | | 3L13229 |
| 2" 1502M x 2" 1502M x 2" 1502F | Low Temp | H2S | | 2A16769 |
| 2" 1502M x 2" 1502M x 2" 1502M | Low Temp | Standard | | 3L11598 |
| 2" 1502M x 2" 1502M x 2" 1502M | Low Temp | H2S | | 2A16898 |
| 2" 1502M x 2" 1502F x 2" 1502M x 2" 1502F Gauge | Low Temp | Standard | Gauge Tee | 2A25992 |
| 2" 1502M x 2" 1502F x 2" 1502F Gauge | Low Temp | Standard (Viton) | Gauge Tee | 2A20150V |
| 2" 15K SI x 2" 15K SI x 2" 15K SI | Low Temp | Standard | | 2A27813 |
| 2" 2202F x 2" 2202F x 2" 2202M | Low Temp | H2S | | 3A22204 |
| 2" 2202F x 2" 2202M x 2" 2202F | Low Temp | H2S | | 3A22205 |
| 3" 1502F x 2" 1502M x 2" 1502M | Low Temp | Standard | | 3A22189 |
| 3" 1502F x 3" 1502F x 3" 1502F | Low Temp | Standard | | 3L16472 |
| 3" 1502F x 3" 1502F x 3" 1502M | Low Temp | Standard | | 3L13151 |
| 3" 1502F x 3" 1502M x 2" 1502F | Low Temp | Standard | | 3L11593 |
| 3" 1502F x 3" 1502M x 2" 1502M | Low Temp | Standard | | 3A23126 |
| 3" 1502F x 3" 1502M x 2" 1502M | Low Temp | H2S | | 3A22335 |
| 3" 1502F x 3" 1502M x 3" 1502F | Low Temp | Standard | | 3L11594 |
| 3" 1502F x 3" 1502M x 3" 1502F | Low Temp | Standard (Viton) | | 3L13300 |
| 3" 1502F x 3" 1502M x 3" 1502F | Low Temp | H2S | | 2A18096 |
| 3" 1502F x 3" 1502M x 3" 1502M | Low Temp | Standard | | 3L19916 |
| 3" 1502F x 3" 1502M x 3" 1502M | Low Temp | Standard (Viton) | | 3L19916V |
| 3" 1502F x 3" 1502M x 3" 1502M | Low Temp | H2S | | 3L16702 |
| 3" 1502F x 2" 1502M x 3" 1502F x 2" 1502F Gauge | Low Temp | Standard | Gauge Tee | 2A14458 |
| 3" 1502F x 3" 1502M x 2" 1502F x 2" 1502F Gauge | Low Temp | Standard | Gauge Tee | 2A24985 |
| 3" 1502F x 3" 1502M x 3" 1502F x 2" 1502F | Low Temp | Standard | | 2A29288 |
| 3" 1502M x 2" 1502F x 3" 1502F | Low Temp | Standard | | 3A22188 |
| 3" 1502M x 3" 1502M x 2" 1502F | Low Temp | Standard | | 3A24879 |
| 3" 1502M x 3" 1502M x 3" 1502F | Low Temp | Standard | | 2A25417 |
| 3" 1502M x 3" 1502M x 3" 1502M | Low Temp | Standard | | 3L11599 |
| 3" 1502M x 3" 1502M x 3" 1502M | Low Temp | H2S | | 3L16704 |
| 3" 1502M x 3" 1502F x 3" 1502M x 2" 1502F Gauge | Low Temp | Standard | Gauge Tee | 2A29204 |
| 3" 15K SI x 3" 15K SI x 2" 1502F | Low Temp | Standard | | 2A27997 |
| 3" 15K SI x 3" 15K SI x 2" 1502F | Low Temp | Standard | 3" ID | 2A29717 |
| 3" 15K SI x 3" 15K SI x 3" 1502F | Low Temp | Standard | | 2A27998 |
| 3" 15K SI x 3" 15K SI x 3" 1502F | Low Temp | Standard | | 2A28745 |

| | | | | |
|-----------------------------------|----------|----------|----------|---------|
| 3" 15K SI x 3" 15K SI x 3" 15K SI | Low Temp | Standard | | 2A27809 |
| 3" 15K SI x 3" 15K SI x 3" 15K SI | Low Temp | Standard | 2.75" ID | 2A29339 |
| 3" 15K SI x 3" 15K SI x 3" 15K SI | Low Temp | Standard | 3" ID | 2A29714 |
| 3" 15K SI x 4" 15K SI x 4" 15K SI | Low Temp | Standard | | 2A29164 |
| 4" 1002F x 4" 1002F x 4" 1002M | Low Temp | Standard | | 2A28894 |
| 4" 1002F x 4" 1002M x 2" 1502F | Low Temp | Standard | 3.88" ID | 2A27060 |
| 4" 1002F x 4" 1002M x 2" 1502F | Low Temp | Standard | 4" ID | 2A29147 |
| 4" 1002F x 4" 1002M x 2" 1502M | Low Temp | Standard | | 2A29491 |
| 4" 1002F x 4" 1002M x 3" 1502F | Low Temp | Standard | | 3L12827 |
| 4" 1002F x 4" 1002M x 4" 1002F | Low Temp | Standard | | 3L12826 |
| 4" 1002F x 4" 1002M x 4" 1002M | Low Temp | Standard | | 2A28544 |
| 4" 1002M x 4" 1002F x 2" 1502F | Low Temp | Standard | | 3A19580 |
| 4" 1002M x 4" 1002F x 3" 15K SI | Low Temp | Standard | | 2A28964 |
| 4" 10K SI x 4" 10K SI x 2" 1502F | Low Temp | Standard | | 2A28001 |
| 4" 10K SI x 4" 10K SI x 2" 15K SI | Low Temp | Standard | | 2A27816 |
| 4" 10K SI x 4" 10K SI x 3" 1502F | Low Temp | Standard | | 2A28002 |
| 4" 10K SI x 4" 10K SI x 4" 10K SI | Low Temp | Standard | | 2A27810 |
| 4" 1502F x 4" 1502F x 4" 1502M | Low Temp | Standard | | 2A25855 |
| 4" 1502F x 4" 1502M x 2" 1502F | Low Temp | Standard | | 2A26065 |
| 4" 1502F x 4" 1502M x 2" 1502M | Low Temp | Standard | | 2A26467 |
| 4" 1502F x 4" 1502M x 3" 1502F | Low Temp | Standard | | 2A25853 |
| 4" 1502F x 4" 1502M x 3" 15K SI | Low Temp | Standard | | 2A28481 |
| 4" 1502F x 4" 1502M x 4" 1502F | Low Temp | Standard | | 2A25990 |
| 4" 1502F x 4" 1502M x 4" 1502M | Low Temp | Standard | | 2A24928 |
| 4" 1502M x 4" 1502F x 3" 1502M | Low Temp | Standard | | 2A27345 |
| 4" 1502M x 4" 1502M x 4" 1502F | Low Temp | Standard | | 2A29970 |
| 4" 15K SI x 4" 15K SI x 2" 15K SI | Low Temp | Standard | | 2A29366 |
| 4" 15K SI x 4" 15K SI x 3" 1502F | Low Temp | Standard | | 2A28004 |
| 4" 15K SI x 4" 15K SI x 3" 1502M | Low Temp | Standard | | 2A28667 |
| 4" 15K SI x 4" 15K SI x 3" 15K SI | Low Temp | Standard | | 2A27811 |
| 4" 15K SI x 4" 15K SI x 3" 15K SI | Low Temp | Standard | 3" ID | 2A29415 |
| 4" 15K SI x 4" 15K SI x 4" 15K SI | Low Temp | Standard | | 2A28140 |

*Note: Other parts or configurations may be available. Contact SPM.

Wyes



Note: The outlet configuration as described below corresponds with the branch labels in this illustration.

| <u>Outlet/Branch Configuration (A x B x C)</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--|--------------------|---------------------|--------------------|
| 2" 1502F x 2" 1502F x 2" 1502M | Low Temp | Standard | 3L13139 |
| 2" 1502F x 2" 1502F x 2" 1502M | Low Temp | H2S | 3A20226 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | 2A29185 |
| 2" 1502F x 2" 1502M x 2" 1502M | Low Temp | Standard | 3A22926 |
| 2" 1502M x 2" 1502M x 2" 1502F | Low Temp | Standard | 3L13143 |
| 2" 1502M x 2" 1502M x 2" 1502F | Low Temp | H2S | 3A21102 |
| 3" 1502F x 3" 1502F x 3" 1502M | Low Temp | Standard | 2L14419 |
| 3" 1502F x 3" 1502F x 3" 1502M | Low Temp | Standard | 2L14419V |
| 3" 1502F x 3" 1502F x 3" 1502M | Low Temp | H2S | 3A21104 |
| 3" 1502M x 2" 1502F x 2" 1502F | Low Temp | Standard | 2A25558 |
| 3" 1502M x 3" 1502M x 3" 1502F | Low Temp | Standard | 3L13144 |
| 4" 1002F x 4" 1002F x 4" 1002M | Low Temp | Standard | 3L13141 |
| 4" 1002M x 4" 1002F x 4" 1002F | Low Temp | Standard | 2A29145 |
| 4" 1002M x 4" 1002M x 4" 1002F | Low Temp | Standard | 3L13146 |
| 4" 1502M x 4" 1502M x 4" 1502F | Low Temp | Standard | 2A25857 |

*Note: Other parts or configurations may be available. Contact SPM.

Ells



Note: The outlet configuration as described below corresponds with the branch labels in this illustration.

Ells

| <u>Outlet/Branch Configuration (A x B)</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Type</u> | <u>Part Number</u> |
|--|--------------------|---------------------|-------------|--------------------|
| 2" 1502F x 2" 1502M | Low Temp | Standard | Standard | 3L13234 |
| 2" 1502F x 2" 1502M | Low Temp | H2S | Standard | 2A21068 |
| 2" 1502F x 2" 1502M | Low Temp | Standard | Target | 2A25338 |
| 2" 1502F x 2" 1502M | Low Temp | H2S | Target | 2A25339 |
| 2" 1502F x 2" 1502M | Low Temp | Standard | Cushion | 2A25522 |
| 2" 1502F x 2" 1502M | Low Temp | Standard (Viton) | Cushion | 2A26314 |
| 2" 1502F x 2" 1502M | Low Temp | H2S | Cushion | 2A26659 |
| 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | Gauge | 3L14451 |
| 2" 1502M x 2" 1502F | Low Temp | Standard | 45 Degree | 3A20075 |
| 2" 1502M x 2" 1502M | Low Temp | Standard | Standard | 3L14476 |
| 2" 1502M x 2" 1502M | Low Temp | H2S | Standard | 2A21069 |
| 2" 15K SI x 2" 15K SI | Low Temp | Standard | Standard | 2A27837 |
| 3" 1502F x 3" 1502M | Low Temp | Standard | Standard | 3L14591 |
| 3" 1502F x 3" 1502M | Low Temp | Standard | Target | 2A26012 |
| 3" 1502M x 3" 1502F | Low Temp | Standard | 45 Degree | 1A24627 |
| 3" 1502M x 3" 1502F | Low Temp | H2S | Standard | 2A19202 |
| 3" 1502M x 3" 1502F | Low Temp | Standard | Target | 2A26013 |
| 3" 1502M x 3" 1502M | Low Temp | Standard | Standard | 3L14996 |
| 3" 15K SI x 2" 15K SI | Low Temp | Standard | Standard | 2A28724 |
| 3" 15K SI x 3" 15K SI | Low Temp | Standard | Standard | 2A27838 |
| 3" 15K SI x 3" 15K SI | Low Temp | Standard | 45 Degree | 2A28750 |
| 4" 1002F x 4" 1002M | Low Temp | Standard | Standard | 3L14430 |
| 4" 1502F x 4" 1502M | Low Temp | Standard | Standard | 2A27100 |
| 4" 15K SI x 4" 15K SI | Low Temp | Standard | Standard | 2A28155 |


*Note: Other parts or configurations may be available. Contact SPM.



Long Radius Ells

| <u>Outlet/Branch Configuration (A x B)</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--|--------------------|---------------------|--------------------|
| 2" 1502F x 2" 1502M | Low Temp | Standard | 3A20534 |
| 2" 1502F x 2" 1502M | Low Temp | H2S | 3A20535 |

*Note: Other parts or configurations may be available. Contact SPM.

Crosses**Standard Crosses**

| Outlet/Branch Configuration (A x B x C x D) | Temperature | Service Type | Part Number |
|---|--------------------|---------------------|--------------------|
| 2" 1502F x 2" 1502F x 2" 1502F x 2" 1502F | Low Temp | Standard | 2P10775 |
| 2" 1502F x 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | Standard | 3L11607 |
| 2" 1502F x 2" 1502F x 2" 1502M x 2" 1502F | Low Temp | H2S | 3A20544 |
| 2" 1502F x 2" 1502M x 2" 1502M x 2" 1502F | Low Temp | Standard | 3L11603 |
| 2" 1502F x 2" 1502M x 2" 1502M x 2" 1502M | Low Temp | Standard | 1A19904 |
| 2" 1502F x 2" 1502M x 2" 1502M x 2" 1502M | Low Temp | H2S | 2A21081 |
| 2" 1502M x 2" 1502M x 2" 1502M x 2" 1502M | Low Temp | Standard | 2A22907 |
| 3" 1502F x 2" 1502F x 3" 1502M x 2" 1502F | Low Temp | Standard | 3A19910 |
| 3" 1502F x 2" 1502M x 3" 1502M x 2" 1502F | Low Temp | Standard | 3A22178 |
| 3" 1502F x 3" 1502F x 3" 1502F x 3" 1502F | Low Temp | Standard | 2P25055 |
| 3" 1502F x 3" 1502F x 3" 1502M x 3" 1502F | Low Temp | Standard | 3L11608 |
| 3" 1502F x 3" 1502F x 3" 1502M x 3" 1502F | Low Temp | H2S | 2A21085 |
| 3" 1502F x 3" 1502M x 3" 1502M x 3" 1502F | Low Temp | Standard | 3L11605 |
| 3" 1502M x 3" 1502M x 3" 1502M x 3" 1502M | Low Temp | Standard | 3L14320 |
| 3" 15K SI x 3" 15K SI x 3" 15K SI x 2" 1502F | Low Temp | Standard | 2A29497 |
| 4" 1002F x 2" 1502F x 4" 1002M x 2" 1502F | Low Temp | Standard | 3A20837 |
| 4" 1002F x 3" 1502F x 4" 1002M x 3" 1502F | Low Temp | Standard | 3A20835 |
| 4" 1002F x 4" 1002F x 4" 1002F x 4" 1002F | Low Temp | Standard | 2A26958 |
| 4" 1002F x 4" 1002M x 4" 1002M x 4" 1002F | Low Temp | Standard | 3A22179 |
| 4" 1002M x 4" 1002F x 4" 1002F x 4" 1002F | Low Temp | Standard | 3A24047 |
| 4" 1002M x 4" 1002F x 4" 1002F x 4" 1002F | Low Temp | Standard | 3L12838 |
| 4" 15K SI x 4" 15K SI (Short) x 4" 15K SI x 4" 15K SI (Short) | Low Temp | Standard | 2P32585 |

*Note: Other parts or configurations may be available. Contact SPM.

Gauge Crosses

| Outlet/Branch Configuration | Temperature | Service Type | Other | Part Number |
|--|--------------------|---------------------|--------------|--------------------|
| 3" 1502F x 2" 1502F x 3" 1502M x 2" 1502F x 2" 1502F | Low Temp | Standard | | 3A19678 |
| 3" 1502F x 3" 1502F x 3" 1502M x 2" 1502F | Low Temp | Standard | | 3A20012 |
| 4" 1002F x 2" 1502F x 4" 1002M x 2" 1502F x 2" 1502F | Low Temp | Standard | | 3A20583 |
| 4" 1002F x 3" 1502F x 4" 1002M x 3" 1502F x 2" 1502F | Low Temp | Standard | | 2A27283 |
| 4" 1002F x 3" 1502F x 4" 1002M x 3" 1502F x 2" 1502F | Low Temp | Standard | 3.88" ID | 2A27534 |
| 4" 1002F x 4" 1002F x 4" 1002M x 4" 1002F x 2" 1502F | Low Temp | Standard | | 3L14450 |

*Note: Other parts or configurations may be available. Contact SPM.

Bull Plugs**2" Bull Plugs**

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Other</u> | <u>Temperature</u> | <u>Part Number</u> |
|--------------------------|------------------------|-----------------|--------------------------|--------------------|--------------------|
| 15K SI | Safety Iron | | | Std Temp | 2A28653 |
| 15K SI | Safety Iron | | Clamp Not Included | Std Temp | 2P26671 |
| Fig 1502 | Hammer Union | Male | | Low Temp | 3A20349 |
| Fig 1502 | Hammer Union | Male | | Std Temp | 3A12737 |
| Fig 1502 | Hammer Union | Male | Lifting Assembly | Std Temp | 3A22113 |
| Fig 1502 | Hammer Union | Male | Wingnut Not Included | Std Temp | 3P10141 |
| Fig 1502 | Hammer Union | Female | | Std Temp | 3P10149 |
| Fig 1502 | Hammer Union | Female | Lifting Assembly | Std Temp | 3A22429 |
| Fig 1502 | Hammer Union | Female | Lifting (Bull Plug Only) | Std Temp | 3P10511 |
| Fig 1502 | Hammer Union | Male | | Std Temp | 3A20314 |
| Fig 1502 | Hammer Union | Male | Wingnut Not Included | Low Temp | 3P13261 |
| Fig 206 | Hammer Union | Male | | Std Temp | 2A29736 |
| Fig 206 | Hammer Union | Male | Wingnut Not Included | Std Temp | 3P13927 |

*Note: Other parts or configurations may be available. Contact SPM.

3" Bull Plugs

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Other</u> | <u>Temperature</u> | <u>Part Number</u> |
|--------------------------|------------------------|-----------------|--------------------------|--------------------|--------------------|
| 15K SI | Safety Iron | | | Std Temp | 2A28654 |
| Fig 1502 | Hammer Union | Male | | Low Temp | 3A20681 |
| Fig 1502 | Hammer Union | Male | | Std Temp | 3A12738 |
| Fig 1502 | Hammer Union | Male | Wingnut Not Included | Std Temp | 3P10142 |
| Fig 1502 | Hammer Union | Male | Lifting Assembly | Std Temp | 3A22130 |
| Fig 1502 | Hammer Union | Female | | Std Temp | 3P10151 |
| Fig 1502 | Hammer Union | Female | Lifting Assembly | Std Temp | 2A27024 |
| Fig 1502 | Hammer Union | Female | Lifting (Bull Plug Only) | Std Temp | 3P10513 |
| Fig 1502 | Hammer Union | Male | | Low Temp | 3A20316 |
| Fig 206 | Hammer Union | Male | | Std Temp | 2A28193 |
| Fig 206 | Hammer Union | Male | Wingnut Not Included | Std Temp | 2P25269 |
| Fig 602 | Hammer Union | Male | | Std Temp | 3A21280 |

*Note: Other parts or configurations may be available. Contact SPM.

4" Bull Plugs

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Other</u> | <u>Temperature</u> | <u>Part Number</u> |
|--------------------------|------------------------|-----------------|----------------------|--------------------|--------------------|
| 10K SI | Safety Iron | | Clamp Not Included | Std Temp | 2P26663 |
| 15K SI | Safety Iron | | | Low Temp | 2A29036 |
| 15K SI | Safety Iron | | Clamp Not Included | Low Temp | 2P29035 |
| 15K SI | Safety Iron | | | Std Temp | 2A28636 |
| 15K SI | Safety Iron | | Clamp Not Included | Std Temp | 2P27106 |
| Fig 1002 | Hammer Union | Male | | Std Temp | 3A12742 |
| Fig 1002 | Hammer Union | Male | Wingnut Not Included | Std Temp | 3P12743 |
| Fig 1002 | Hammer Union | Male | Lifting Assembly | Std Temp | 3A22120 |
| Fig 1002 | Hammer Union | Female | | Std Temp | 3P10995 |
| Fig 1502 | Hammer Union | Male | | Low Temp | 2A33142 |
| Fig 1502 | Hammer Union | Male | Wingnut Not Included | Low Temp | 2P33134 |
| Fig 1502 | Hammer Union | Male | | Std Temp | 3A20967 |
| Fig 1502 | Hammer Union | Male | Wingnut Not Included | Std Temp | 2P16725 |
| Fig 1502 | Hammer Union | Female | | Std Temp | 2P22454 |
| Fig 100 | Hammer Union | Male | | Std Temp | 3A22441 |
| Fig 200/206/207 | Hammer Union | Female | Western Pump Style | Std Temp | 3P18008 |
| Fig 206 | Hammer Union | Male | | Std Temp | 2A28194 |
| Fig 206 | Hammer Union | Male | Wingnut Not Included | Std Temp | 3P24161 |
| Fig 206 | Hammer Union | Male | Retainer Ring Groove | Std Temp | 2A28795 |

*Note: Other parts or configurations may be available. Contact SPM.

Other Bull Plugs

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Other</u> | <u>Temperature</u> | <u>Part Number</u> |
|--------------------------|------------------------|-----------------|----------------------|--------------------|--------------------|
| 1" Fig 200 | Hammer Union | Male | Wingnut Not Included | Std Temp | 3P20705 |
| 6" Fig 206 | Hammer Union | Female | | Std Temp | 2P19156 |
| 8" Fig 206 | Hammer Union | Male | | Std Temp | 2A33004 |

*Note: Other parts or configurations may be available. Contact SPM.

2" Gauge Plugs

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------------------|------------------------|--------------------|--------------------|---------------------|--------------------|
| Fig 1502 | Hammer Union | Male | Low Temp | Standard | 3A21291 |
| Fig 1502 | Hammer Union | Male | Std Temp | Standard | 3A20058 |
| Fig 1502 | Hammer Union | Male (No Wing Nut) | Std Temp | Standard | 3P10145 |
| Fig 1502 | Hammer Union | Male | Low Temp | H2S | 3A21152 |
| Fig 1502 | Hammer Union | Male | Std Temp | Standard | 3A22077 |
| Fig 1502 | Hammer Union | Male | Std Temp | Standard | 3A22713 |
| Fig 1502 | Hammer Union | Male | Std Temp | Standard | 3A24692 |
| Fig 1502 | Hammer Union | Female | Std Temp | Standard | 3P10519 |
| Fig 1502 | Hammer Union | Female | Low Temp | H2S | 3P20241 |

*Note: Other parts or configurations may be available. Contact SPM.

3" Gauge Plugs

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------------------|------------------------|-----------------|--------------------|---------------------|--------------------|
| Fig 1502 | Hammer Union | Male | Low Temp | Standard | 3A21316 |
| Fig 1502 | Hammer Union | Male | Std Temp | Standard | 3A22214 |
| Fig 1502 | Hammer Union | Male | Std Temp | Standard | 3A22716 |
| Fig 1502 | No Hammer Union | Female | Std Temp | Standard | 3P10520 |
| Fig 1502 | No Hammer Union | Female | Std Temp | Standard | 3P23318 |

*Note: Other parts or configurations may be available. Contact SPM.

4" Gauge Plugs

| <u>Connection Rating</u> | <u>Connection Type</u> | <u>End Type</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|--------------------------|------------------------|-----------------|--------------------|---------------------|--------------------|
| Fig 1002 | Hammer Union | Male | Std Temp | Standard | 3A22722 |

*Note: Other parts or configurations may be available. Contact SPM.

Swages

Swages

| <u>Outlet/Branch Configuration</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Other</u> | <u>Part Number</u> |
|------------------------------------|--------------------|---------------------|----------------------|--------------------|
| 2" 1502 x 2.00 LPTL | Std Temp | Standard | With Flats | 2P24925 |
| 2" 1502F x 1.5 LPT | Std Temp | Standard | | 3P13408 |
| 2" 1502F x 2.00 LPTL | Std Temp | Standard | | 3P10286 |
| 2" 1502F x 2.00 LPTL | Std Temp | Standard | | 3P20227 |
| 2" 1502F x 2.38 EUE | Std Temp | Standard | | 3P10288 |
| 2" 1502F x 2.38 EUE | Std Temp | Standard | With Flats | 2P24926 |
| 2" 1502F x 2.88 EUE | Std Temp | Standard | | 3P10290 |
| 2" 1502F x 3.00 LPT | Std Temp | Standard | | 3P10362 |
| 2" 1502F x 3.5 8EUE | Std Temp | Standard | | 3P11955 |
| 2" 1502M x 1.5 LPT | Std Temp | Standard | | 3A22220 |
| 2" 1502M x 2" ~ 11 1/2" V LPT Long | Std Temp | Standard | | 3L11548 |
| 2" 1502M x 2.38 8EUE | Std Temp | Standard | | 3L11549 |
| 2" 1502M x 2.88 8EUE | Std Temp | Standard | | 3L11550 |
| 2" 1502M x 3.5 8EUE | Std Temp | Standard | | 3A19530 |
| 2" 1502M x 4" 8V LPT | Std Temp | Standard | | 3L11560 |
| 3" 1502F x 2 LPTL | Std Temp | Standard | With Flats | 2P29694 |
| 3" 1502F x 2 LPTL | Std Temp | Standard | | 3P10292 |
| 3" 1502F x 2.38 8RD EUE | Std Temp | Standard | | 3P10294 |
| 3" 1502F x 2.88 8RD EUE | Std Temp | Standard | 7" Length With Flats | 2P27279 |
| 3" 1502F x 2.88 8RD EUE | Std Temp | Standard | 7" Length | 3P10296 |
| 3" 1502F x 3.5 10R | Std Temp | Standard | | 3P16589 |
| 3" 1502F x 3.5 8RD EUE | Std Temp | Standard | | 3P10032 |
| 3" 1502F x 5.5 8SCT | Std Temp | Standard | | 3P12302 |
| 3" 1502M x 2.00 LPT | Std Temp | Standard | | 3L11551 |
| 3" 1502M x 2.00 LPTL | Std Temp | Standard | | 3P10293 |
| 3" 1502M x 2.38 8RD | Std Temp | Standard | | 3L11552 |
| 3" 1502M x 2.38 8RD EUE | Std Temp | Standard | | 3P10295 |
| 3" 1502M x 2.88 8RD | Std Temp | Standard | | 3L11553 |
| 3" 1502M x 3" 8V LPT | Std Temp | Standard | | 3L11559 |
| 3" 1502M x 5.5 8RD SCT | Std Temp | Standard | | 3A22239 |
| 4" 1002F x 4.50-8SCT | Std Temp | Standard | 3.88" ID | 2P27054 |
| 4" 1002M x 2.38 8RD | Std Temp | Standard | | 3A22242 |
| 4" 1002M x 2.88 8RD | Std Temp | Standard | | 3A22243 |
| 4" 1002M x 4.5 8RD SCT | Std Temp | Standard | | 3A20222 |
| 4" 1002M x 5.5 8RD SCT | Std Temp | Standard | | 3A22246 |

*Note: Other parts or configurations may be available. Contact SPM.

Wing Union Components

Wing Nut

| <u>Size</u> | <u>Fig. Rating</u> | <u>Style</u> | <u>Temperature</u> | <u>Service Type</u> | <u>Part Number</u> |
|-------------|--------------------|--------------|--------------------|---------------------|--------------------|
| 1" | 602 | Standard | Low Temp | Standard | 2P12043 |
| 1" | 1002 | | Low Temp | Standard | 2P12087 |
| 1" | 1502 | | Low Temp | Standard | 3P11520 |
| 1" | 1502 | | Low Temp | H2S | 3P16550 |
| 1 1/2" | 602 | NPS | Low Temp | Standard | 3P12047 |
| 1 1/2" | 1002 | | Low Temp | Standard | 3P12091 |
| 1 1/2" | 1502 | | Low Temp | Standard | 3P11452 |
| 2" | 200/206 | | Low Temp | Standard | 3P12004 |
| 2" | 402 | | Low Temp | Standard | 2P12857 |
| 2" | 602 | Standard | Low Temp | Standard | 2P12051 |
| 2" | 1002 | | Low Temp | Standard | 2P12095 |
| 2" | 1502 | | Low Temp | Standard | 3P10228 |
| 2" | 1502 | | Low Temp | H2S | 2P13710 |
| 2" | 2002 | | Low Temp | Standard | 2P14202 |
| 2" | 2202 | | Low Temp | H2S | 2P14714 |
| 3" | 200/206 | | Low Temp | Standard | 2P12009 |
| 3" | 602 | Standard | Low Temp | Standard | 2P12055 |
| 3" | 602 | Detachable | Low Temp | Standard | 2P12074 |
| 3" | 602 | Detachable | Low Temp | H2S | 2P16530 |
| 3" | 1002 | Standard | Low Temp | Standard | 3P10245 |
| 3" | 1002 | Standard | Low Temp | H2S | 2P14954 |
| 3" | 1502 | | Low Temp | Standard | 2P10257 |
| 3" | 1502 | | Low Temp | H2S | 2P14370 |
| 3" | 2002 | | Low Temp | Standard | 2P19422 |
| 3" | 2202 | | Low Temp | H2S | 2P19342 |
| 4" | 100 | | Low Temp | Standard | 2P12168 |
| 4" | 200/206 | | Low Temp | Standard | 2P11765 |
| 4" | 602 | | Low Temp | Standard | 2P10274 |
| 4" | 602 | Detachable | Low Temp | Standard | 2P10276 |
| 4" | 602 | Detachable | Low Temp | H2S | 2P16531 |
| 4" | 1002 | Detachable | Low Temp | Standard | 2P10963 |
| 4" | 1002 | Standard | Low Temp | Standard | 2P10965 |
| 4" | 1502 | | Low Temp | Standard | 2P11729 |
| 6" | 100 | | Low Temp | Standard | 2P14238 |
| 6" | 206 | | Low Temp | Standard | 2P14250 |
| 8" | 100 | | Low Temp | Standard | 2P14242 |
| 8" | 206 | | Low Temp | Standard | 2P14255 |
| 10" | 206 | | Low Temp | Standard | 2P14260 |

*Note: Other parts or configurations may be available. Contact SPM.

Misc. Union Components

| Type | Size | Pressure Rating | Style | Service Type | Part Number |
|------------------|--------|-----------------|------------------------------|--------------|-------------|
| Blanking Cap | 3" | 207 | With Chain Keeper | Standard | 3A23442 |
| Blanking Cap | 3" | 207 | SCH 40 | Standard | 2P11996 |
| Blanking Cap | 4" | 207 | With Chain Keeper | Standard | 3A18587 |
| Blanking Cap | 4" | 207 | | Standard | 2P11684 |
| Blanking Cap | 4" | 207 | .25 NPT | Standard | 2P23813 |
| Retainer Ring | 1 1/2" | 1502 | | Standard | P11945 |
| Retainer Ring | 2" | 1502 | | Standard | P10232 |
| Retainer Ring | 3" | 602/1002/1502 | | Standard | P10261 |
| Retainer Ring | 4" | 1502 | | Standard | P12439 |
| Retainer Segment | 1 1/2" | 1502 | | Standard | 3P11460 |
| Retainer Segment | 2" | 1502 | | Standard | 3P10231 |
| Retainer Segment | 3" | 602/1002/1502 | | Standard | 3P10260 |
| Retainer Segment | 3" | 602/1002/1502 | | H2S | 3P16534 |
| Retainer Segment | 4" | 602/1002 | | Standard | 3P10277 |
| Retainer Segment | 4" | 602/1002 | | H2S | 3P16535 |
| Retainer Segment | 4" | 1502 | | Standard | 3P16929 |
| Retainer Segment | 6" | 206 | | Standard | P29058 |
| Seal Ring | 1" | 1502 | Pressure Seal & NPS | Standard | 3P11635 |
| Seal Ring | 1" | 602/1002/1502 | | Standard | 3P14975 |
| Seal Ring | 1" | 602/1002/1502 | Pressure Seal - Viton | Standard | 3P16484 |
| Seal Ring | 1 1/2" | 1502 | Pressure Seal & NPS | Standard | 3P11451 |
| Seal Ring | 1 1/2" | 602/1002/1502 | | Standard | 3P12283 |
| Seal Ring | 2" | 1502 | Pressure Seal | Standard | 4P10229 |
| Seal Ring | 2" | 1502 | Pressure Seal - Viton | Standard | 4P13258 |
| Seal Ring | 2" | 1502/2002 | Pressure Seal Anti-Extrusion | Standard | 4P22391 |
| Seal Ring | 2" | 1502/2002 | Anti-Extrusion HNBR | Standard | 2P27527 |
| Seal Ring | 2" | 2202 | Viton | Standard | 3P14833 |
| Seal Ring | 3" | 1502 | Pressure Seal | Standard | 4P10258 |
| Seal Ring | 3" | 1502 | Pressure Seal - Viton | Standard | 4P13259 |
| Seal Ring | 3" | 1502/2002 | Pressure Seal Anti-Extrusion | Standard | 2P30108 |
| Seal Ring | 3" | 1502/2002 | Anti-Extrusion Nitrile | Standard | 2P30108 |
| Seal Ring | 3" | 1502/2002 | Anti-Extrusion - Viton | Standard | 4P22395 |
| Seal Ring | 3" | 1502/2002 | Anti-Extrusion HNBR | Standard | 4P28399 |
| Seal Ring | 4" | 602/1002 | Pressure Seal | Standard | 4P10275 |
| Seal Ring | 4" | 1502 | Pressure Seal Anti-Extrusion | Standard | 4P22397 |
| Seal Ring | 4" | 1502 | Pressure Seal - Viton | Standard | 4P13260 |

*Note: Other parts or configurations may be available. Contact SPM.

Safety Iron Component Parts

2" 15K Safety Iron

| Type | Style | Temperature | Service Type | Part Number |
|-------------------|-------|-------------|--------------|-------------|
| Clamp & Seal Kits | Buna | Low Temp | Standard | 2A25919 |
| Seal Kit | Buna | Low Temp | | 2A26024 |
| Seal Kit | Viton | Low Temp | Standard | 2A28031 |
| Soft Seal | Buna | Low Temp | | 2P28294 |

*Note: Other parts or configurations may be available. Contact SPM.

3" 15K Safety Iron

| Type | Style | Temperature | Service Type | Part Number |
|-------------------|-------|-------------|--------------|-------------|
| Clamp & Seal Kits | Buna | Low Temp | Standard | 2A25917 |
| Seal Kit | Buna | Low Temp | Standard | 2A26026 |
| Soft Seal | Buna | Low Temp | Standard | 2P28292 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 10K Safety Iron

| Type | Style | Temperature | Service Type | Part Number |
|-------------------|-------|-------------|--------------|-------------|
| Clamp & Seal Kits | Buna | Low Temp | Standard | 2A25927 |
| Seal Kit | Buna | Low Temp | Standard | 2A26028 |
| Soft Seal | Buna | Low Temp | Standard | 2P27767 |

*Note: Other parts or configurations may be available. Contact SPM.

4" 15K Safety Iron

| Type | Style | Temperature | Service Type | Part Number |
|-------------------|-------|-------------|--------------|-------------|
| Clamp & Seal Kits | Buna | Low Temp | Standard | 2A25402 |
| Seal Kit | Buna | Low Temp | Standard | 2A26029 |
| Soft Seal | Buna | Low Temp | Standard | 2P28291 |
| Hard Seal Ring | | Low Temp | Standard | 2P24735 |

*Note: Other parts or configurations may be available. Contact SPM.

Kit Definitions:

Clamp & Seal Kits: clamp assembly, hard seal ring, soft seals

Seal Kit: hard seal ring, soft seals

Ball Injectors

Ball Injector Assemblies

| Type | Size | Fig. Rating | End Type | Temperature | Service Type | Ball Size | Part Number |
|----------------------------|------|-------------|---------------|-------------|--------------|----------------------|-------------|
| Remote Actuated - Electric | 3" | 1502 | Male x Female | Std Temp | Standard | 0.88 - 1.00 Diameter | 2A28467 |
| Manual Actuated | 3" | 1502 | Male x Female | Std Temp | Standard | 0.88 - 1.00 Diameter | 2A27422 |
| Manual Actuated | 3" | 1502 | Male x Female | Low Temp | Standard | 0.88 - 1.00 Diameter | 2A29763 |
| Manual Actuated | 3" | 1502 | Male | Std Temp | Standard | 0.88 - 1.00 Diameter | 2A28452 |

*Note: Other parts or configurations may be available. Contact SPM.

Ball Injector Parts

| Type | Size | Part Number |
|----------------|-------|-------------|
| Parts Kit | 3" | 4L18114 |
| Screw Assembly | 1.00" | 2A24251 |
| Screw Assembly | .88" | 2A14848 |
| Screw Assembly | .63" | 2A14844 |

*Note: Other parts or configurations may be available. Contact SPM.

Kits Definition:

Parts Kit: screw, seals, bearing, snap rings, pins, backup ring

Butterfly Valves

Butterfly Valve Assemblies

| Size | Temperature | Service Type | Part Number |
|------|-------------|--------------|-------------|
| 3" | Std Temp | Standard | 2A25203 |
| 4" | Std Temp | Standard | 2A25200 |
| 5" | Std Temp | Standard | 2A25206 |
| 6" | Std Temp | Standard | 2A25208 |
| 8" | Std Temp | Standard | 2A25209 |
| 10" | Std Temp | Standard | 2A25508 |
| 12" | Std Temp | Standard | 2A25201 |

*Note: Other parts or configurations may be available. Contact SPM.

Choke Valves

Choke Valves

| Type | End Type | Style | Connection Type | Temperature | Service Type | Part Number |
|------------|-----------------------|-----------|-----------------|-------------|--------------|--------------|
| Adjustable | 2" 1502F x 2" 1502M | 0.75 Seat | Hammer Union | Low Temp | Standard | 2A18156-0.75 |
| Adjustable | 2" 1502F x 2" 1502M | 0.75 Seat | Hammer Union | Low Temp | H2S | 2A19461-0.75 |
| Adjustable | 2" 1502M x 2" 1502F | 0.75 Seat | Hammer Union | Low Temp | Standard | 2A18158-0.75 |
| Adjustable | 2" 1502F x 2" 1502F | 0.75 Seat | Hammer Union | Low Temp | Standard | 2A18159-0.75 |
| Adjustable | 2" 1502F x 2" 1502M | 1.00 Seat | Hammer Union | Low Temp | Standard | 2A18156-1.00 |
| Adjustable | 2" 1502F x 2" 1502M | 1.00 Seat | Hammer Union | Low Temp | H2S | 2A19461-1.00 |
| Adjustable | 2" 1502M x 2" 1502M | 1.00 Seat | Hammer Union | Low Temp | Standard | 2A18157-1.00 |
| Adjustable | 2" 1502M x 2" 1502F | 1.00 Seat | Hammer Union | Low Temp | Standard | 2A18158-1.00 |
| Adjustable | 3" 1502F x 3" 1502M | 2.00 Seat | Hammer Union | Low Temp | Standard | 2A21253 |
| Adjustable | 3" 1502F x 3" 1502M | 2.00 Seat | Hammer Union | Low Temp | H2S | 2A23122 |
| Positive | 2" 1502M x 2" 1502F | w/o Bean | Hammer Union | Low Temp | Standard | 2A18160 |
| Positive | 2" 1502M x 2" 1502F | 0.75 Seat | Hammer Union | Low Temp | Standard | 2A18160-0.75 |
| Positive | 2" 15K SI x 2" 15K SI | w/o Bean | Safety Iron | Low Temp | Standard | 2A27968 |
| Positive | 2" 1502M x 2" 1502F | w/o Bean | Hammer Union | Low Temp | H2S | 2A22016 |

*Note: Other parts or configurations may be available. Contact SPM.

Safety Lifting Clamps

Clamps

| Type | Part Number |
|------------------|-------------|
| 4.06" - 6.63" OD | 2A29636 |
| 5" - 5.5" OD | 2A29637 |

*Note: Other parts or configurations may be available. Contact SPM.

Safety Hammers

Assemblies & Spares

| Type | Size | Cage Fig. Rating | Part Number |
|-------------------|------|------------------|-------------|
| Complete Assembly | 2" | 1502 | 2A26689 |
| Complete Assembly | 3" | 1502 | 2A26699 |
| Complete Assembly | 4" | 200 & 206 | 2A26886 |
| Complete Assembly | 4" | 602 & 1002 | 2A26709 |
| Pneumatic Hammer | | | 2A26730 |
| Hammer Tool | | | 2P27058 |
| Cage | 2" | 1502 | 2P26690 |
| Cage | 3" | 200 / 206 | 2P26887 |
| Cage | 3" | 1502 | 2P26700 |
| Cage | 4" | 1002 | 2P26710 |

*Note: Other parts or configurations may be available. Contact SPM.